



**2016
PRODUCT CATALOG**

LINZEL

**LANDSCAPE LIGHTING | TRANSFORMERS | OUTDOOR WALL, POST & LANTERN | SURFACE WATER DRAINAGE
WATER FEATURES | PUMPS | SPILLWAYS | WATER TREATMENT | FOUNTAINS | POND & LAKE AERATION
POND LINER | POND FILTERS | FISH FOOD | FIRE FEATURES**

LINZEL DISTRIBUTING

With over 55 years in combined experience in Lighting, Water, Drainage and Fire- we have you covered. We have a huge selection of specialty products - in stock and ready to ship. If you have any questions please do not hesitate to call or email. We look forward to working with you.

Contact Us

Orders, Inquiries & Tracking

Email: sales@linzel.ca

Phone: 905.562.8600

Toll Free: 866.340.1999

Fax: 905.562.8601

417 Winona Rd

Hamilton, ON

L8E 5E4

Chris Linzel

President

clinzel@linzel.ca

905-651-2426

Greg Goulet

Sales Manager/Purchasing

ggoulet@linzel.ca

905-932-8601

Jeff Pomroy

Account Manager/Product Specialist

jpomroy@linzel.ca

226-749-3188

Marlene Linzel

Accounting



mlinzel@linzel.ca

Barry Schilthuis

Inside Sales

bschilthuis@linzel.ca

905-719-8601



*For Southern Ontario, Ottawa and the greater Montreal Area

Terms & Conditions

Terms of Payment

All products shipped from Linzel will be C.O.D. unless prior credit approval is obtained. C.O.D. shipments can be VISA, MC, Certified Cheque or Epayment prior to shipping. Qualified accounts have net 30 days from time of shipment. All overdue accounts will be charged 2% monthly.

Prices & Taxes

All pricing is suggested retail in Canadian dollars. Prices are correct as of date of printing and are subject to change without notice. Linzel is not responsible for printing errors. Buyer shall pay all applicable taxes.

Freight Policy

Special order items and some items requiring special handling, such as pond liner and bulk chemicals etc, and therefore do not qualify for prepaid freight. Linzel will use a carrier of its choice for all prepaid shipments to ensure goods are delivered the most efficient and economical way.

Freight Claims

Linzel does not assume responsibility for freight damage. All freight damage and

shipping discrepancies must be claimed within 48 hours of receipt, collect shipments to be claimed with carrier. Waybill must be marked damaged to validate claim.

Short Shipment

Linzel must be notified of any short shipments within 48 hours of receipt of goods with copy of carrier waybill and customer count.

Return Goods

Return goods must be authorized by Linzel. A copy of original invoice must accompany all returns. All returns must be shipped prepaid freight and are subject to a possible restocking fee of up to 25%. Credit will be issued to account for future purchases. No returns after 90 days.

Return Goods


All defective items within the manufacturer's warranty period must be returned to Linzel. Customer is responsible for return of item(s) and freight costs. Item(s) will either be replaced or repaired at Linzel's discretion. Item(s) sent back must be accompanied with proof of purchase and retail customer receipt.

TABLE OF CONTENTS

■ 12V LED ACCENT LIGHTS	4
■ 12V WALL WASH	8
■ 12V HYBRID ACCENT LIGHTS	10
■ 12V LED PATH LIGHTS	12
■ 12V BOLLARD LIGHTS	16
■ 12V HYBRID PATH LIGHTS	18
■ 12V HARDSCAPE, WALL, DECK & PATIO LIGHTS	22
■ 12V IN-GROUND LIGHTS	34
■ 12V UNDERWATER LIGHTS	40
■ 12V LED LAMPS	42
■ TRANSFORMERS	46
■ LIGHTING ACCESSORIES	52
■ OUTDOOR CEILING FANS	55
■ OUTDOOR WALL, POST & LANTERN	58
■ 120V LED	60
■ PUMPS	64
■ WEIRS	72
■ SPILLWAYS	74,84
■ WATER FEATURES	76
■ BASIN & BASIN KITS	78
■ VAULTS	80
■ POND LINER & GEOTEXTILE	82
■ POND FILTERS	86
■ WATER CLARIFIERS	88
■ FILTER FALLS & SKIMMERS	90
■ POND & POND FREE KITS	92
■ POND MAINTENANCE	94
■ UNDERWATER LIGHTS	96
■ AERATION	100
■ WATER TREATMENT	104
■ FISH FOOD	114
■ TUBING, PIPE & UV LAMPS	116
■ FITTINGS	118
■ FILTRIFIC FILTRATION	120
■ FLOATING FOUNTAINS	124
■ KASCO AERATION	128
■ REPLACEMENT PARTS	130
■ DRAINAGE	132
■ FIRE FEATURES	138

RADIAX DESIGN PRO LED 12V ACCENT

KICHLER - 12V - 3W (4VA) LED - Compares to a 10W MR-16



AZT



WHT


BKT

\$ 209⁰⁰

ITEM #:	K/16000	K/16001	K/16002
Beam Spread	10°	35°	60°
Color Temp / Lumens	2700K / 109Lm * 3000K / 116Lm		
Finish	AZT - Textured Arch. Bronze BKT - Textured Black * WHT - Textured White *		
Wiring	24" of usable #18-2		
Operating Range	9V - 15V AC/DC		
Dimensions	3.7" H x 2" W		
Warranty	15 Year / 40,000 hours		

* 5-DAY DIRECT SHIP

KICHLER - 12V - 4W (5.5VA) LED - Compares to a 20W MR-16



AZT



WHT

BKT

\$ 239⁰⁰


ITEM #:	K/16003	K/16004	K/16005
Beam Spread	10°	35°	60°
Color Temp / Lumens	2700K / 151Lm * 3000K / 180Lm		
Finish	AZT - Textured Arch. Bronze BKT - Textured Black * WHT - Textured White *		
Wiring	24" of usable #18-2		
Operating Range	9V - 15V AC/DC		
Dimensions	3.7" H x 2" W		
Warranty	15 Year / 40,000 hours		

* 5-DAY DIRECT SHIP

KICHLER - 12V - 6.5W (10 VA) LED - Compares to a 35W MR-16



AZT



WHT


BKT

\$ 289⁰⁰


ITEM #:	K/16006	K/16007	K/16008
Beam Spread	10°	35°	60°
Color Temp / Lumens	2700K / 306Lm * 3000K / 352Lm		
Finish	AZT - Textured Arch. Bronze BKT - Textured Black * WHT - Textured White *		
Wiring	24" of usable #18-2		
Operating Range	9V - 15V AC/DC		
Dimensions	4.75" H x 3" W		
Warranty	15 Year / 40,000 hours		

* 5-DAY DIRECT SHIP

KICHLER - 12V - 13W (18.5 VA) LED - Compares to a 50W MR-16



AZT



WHT

BKT

\$ 359⁰⁰

ITEM #:	K/16009	K/16010	K/16011
Beam Spread	10°	35°	60°
Color Temp / Lumens	2700K / 520Lm * 3000K / 590 Lm		
Finish	AZT - Textured Arch. Bronze BKT - Textured Black * WHT - Textured White *		
Wiring	24" of usable #18-2		
Operating Range	9V - 15V AC/DC		
Dimensions	4.75" H x 3" W		
Warranty	15 Year / 40,000 hours		

* 5-DAY DIRECT SHIP


KICHLER - 12V - 21W (27 VA) LED - Compares to a 75W MR-16



AZT



WHT



BKT

\$ 419⁰⁰

ITEM #:	K/16012	K/16013	K/16014
Beam Spread	10°	35°	60°
Color Temp / Lumens	2700K / 947Lm * 3000K / 993Lm		
Finish	AZT - Textured Arch. Bronze BKT - Textured Black * WHT - Textured White *		
Wiring	24" of usable #18-2		
Operating Range	9V - 15V AC/DC		
Dimensions	5.5" H x 4.4" W		
Warranty	15 Year / 40,000 hours		

* 5-DAY DIRECT SHIP

BEAM SPREADS... CARRY LIGHT WHERE IT'S NEEDED.

Kichler Design Pro LED Lights are available in a variety of beam spreads that allow your lighting professional to tailor the light to the application – creating the perfect end effect.



10°

Beam Spread

Tall, thin beam of light ideal for grazing trees and column features.



35°

Beam Spread

Medium height and width beam of light suited for general accent lighting.



60°

Beam Spread

Short and wide beam of light useful for broad trees and wide structures.



PURE WHITE (3000K)

PHOTOMETRICS

		3W		4W		6.5W		13W		21W	
10° SPOT		16000		16003		16006		16009		16012	
Feet		Foot Candles	Beam Width	Foot Candles	Beam Width	Foot Candles	Beam Width	Foot Candles	Beam Width	Foot Candles	Beam Width
8		20	1.8	22.2	2.1	106.3	1.6	187.2	1.5	252	2
12		8.9	2.7	9.9	3.1	48.4	2.4	83.2	2.3	112	3
24		2.2	5.4	2.5	6.2	12.2	4.8	20.8	4.6	27	6
36		1	8.1	1.1	9.3	5.4	7.2	9.2	6.9	12.4	8.9
48		0.6	10.8	0.6	12.4	3.1	9.6	5.2	9.2	7.1	11.9
60		0.4	13.5	0.4	15.5	2	12	3.3	11.6	4.5	14.9
35° FLOOD		16001		16004		16007		16010		16013	
Feet		Foot Candles	Beam Width	Foot Candles	Beam Width	Foot Candles	Beam Width	Foot Candles	Beam Width	Foot Candles	Beam Width
4		16.3	2.2	21.7	2.3	66.1	2.3	99.6	2.3	138.8	2.5
8		4.1	4.5	5.4	4.5	16.5	4.5	24.9	4.6	34.7	4.9
16		1	9	1.4	9	4.1	9.1	6.2	9.1	8.7	9.8
24		0.5	13.5	0.6	13.5	1.8	13.6	2.8	13.7	3.9	14.8
32		0.3	18	0.3	18	1	18.1	1.6	18.2	2.2	19.7
40		0.2	22.5	0.2	22.5	0.7	22.6	1	22.8	1.4	24.6
60° WIDE FLOOD		16002		16005		16008		16011		16014	
Feet		Foot Candles	Beam Width	Foot Candles	Beam Width	Foot Candles	Beam Width	Foot Candles	Beam Width	Foot Candles	Beam Width
4		6.8	4	11.2	4.3	15	4.2	26.4	4.4	43.2	4.2
8		1.7	7.9	2.8	8.6	3.7	8.5	6.6	8.8	10.8	8.5
16		0.4	15.8	0.7	17.3	0.9	17	1.7	17.5	2.7	16.9
24		0.2	23.7	0.3	25.9	0.4	25.5	0.7	26.3	1.2	25.4
32		0.1	31.6	0.2	34.6	0.2	34	0.4	35	0.7	33.9
40		0.1	39.5	0.1	43.2	0.2	42.4	0.3	43.8	0.4	42.3

ACCESSORIES

ITEM #	Description	\$
1	K/15601 Surface Mounting Flange	35.00
2	K/15607 Tree/Surface Bracket	25.00
3	K/15609 Junction Box Bracket	37.00
4	K/15647 90° Elbow	21.00
5	K/16061 360° Cowl (6.5W/13W)	35.00
6	K/16060 Long Cowl (6.5W/13W)	35.00
7	K/16063 360° Cowl (21W)	52.00
8	K/16062 Long Cowl (21W)	52.00
9	K/15649 Stem Coupler	20.00
10	K/16064 Lens - 3W / 4W Avail in Amber/Frosted/ Green	23.00 AMB 23.00 GRN 14.00 FRO
11	K/16065 Lens - 6.5W / 13W Avail in Amber/ Frosted/ Green	32.00 AMB 32.00 GRN 17.00 FRO
12	K/16066 Lens - 21W Avail in Amber/Frosted/ Green	49.00 AMB 49.00 GRN 20.00 FRO
13	Stems K/15645 - 6" K/15656 - 12" K/15657 - 18" K/15658 - 24"	20.00 34.00 37.00 50.00

DESIGN PRO LED 12V ACCENT

BEAM SPREADS... CARRY LIGHT WHERE IT'S NEEDED.

Kichler Design Pro LED Lights are available in a variety of beam spreads that allow your lighting professional to tailor the light to the application – creating the perfect end effect.



10°

Beam Spread

Tall, thin beam of light ideal for grazing trees and column features.



35°

Beam Spread

Medium height and width beam of light suited for general accent lighting.



60°

Beam Spread

Short and wide beam of light useful for broad trees and wide structures.



PURE WHITE (3000K)

BEST SELLER!

KICHLER - 12V - 4.5W (7.5VA) LED - Compares to a 20W MR-16



SAVE
10% ON
CASEPACKS
16

\$ 139⁰⁰

ITEM #:	K/15731	K/15732	K/15733
Beam Spread	10°	35°	60°
Color Temp / Lumens	3000K / 150Lm		
Finish	AZT - Textured Arch. Bronze BKT - Textured Black		
Wiring	53" of usable #18-2		
Operating Range	9V - 15V AC/DC		
Dimensions	5.5" H x 3"W		
Housing	Cast Aluminum		
Warranty	15 Year / 40,000 hours		

KICHLER - 12V - 8.5W (12.2VA) LED - Compares to a 35W MR-16

BEST SELLER!



SAVE
10% ON
CASEPACKS
16

*Shown with optional Cowl

\$ 189⁰⁰

ITEM #:	K/15741	K/15742	K/15743
Beam Spread	10°	35°	60°
Color Temp / Lumens	3000K / 310Lm		
Finish	AZT - Textured Arch. Bronze BKT - Textured Black		
Wiring	53" of usable #18-2		
Operating Range	9V - 15V AC/DC		
Dimensions	5.5" H x 3"W		
Housing	Cast Aluminum		
Warranty	15 Year / 40,000 hours		

KICHLER - 12V - 12.4W (16.7 VA) LED - Compares to a 50W MR-16



SAVE
10% ON
CASEPACKS
16

\$ 279⁰⁰

ITEM #:	K/15751	K/15752	K/15753
Beam Spread	10°	35°	60°
Color Temp / Lumens	3000K / 460Lm		
Finish	AZT - Textured Arch. Bronze BKT - Textured Black		
Wiring	53" of usable #18-2		
Operating Range	9V - 15V AC/DC		
Dimensions	6" H x 3.5"W		
Housing	Cast Aluminum		
Warranty	15 Year / 40,000 hours		

ACCESSORIES & PHOTOMETRICS

Cowls feature easy one step snap-on installation – glare shield rotates 360° in ring and retains its desired shield position.



Amber – Offer warmer hues of light
15875 AMB For use with 4.5W/8.5W size
15876 AMB For use with 12.4W size



Green – Intensify the greens of foliage
15885 GRN For use with 4.5W/8.5W size
15886 GRN For use with 12.4W size



Frosted – Diffuse light where you need it
15895 FRO For use with 4.5W/8.5W size
15896 FRO For use with 12.4W size

Lenses include replacement gasket, Allen wrench and extra ring screws. Colored lenses will slightly reduce light output.

		4.5W		8.5W		12.4W	
10° SPOT		15731		15741		15751	
		Foot Candles	Beam Width	Foot Candles	Beam Width	Foot Candles	Beam Width
	Feet						
	8	33.6	1.2	68.3	1.2	100.6	1.3
	12	14.9	1.8	30.4	1.9	44.7	1.9
	24	3.73	3.6	7.60	3.8	11.18	3.8
	36	1.66	5.4	3.38	5.7	4.97	5.7
	48	0.93	7.2	1.90	7.6	2.79	7.6
60	0.60	9	1.22	9.5	1.79	9.5	
35° FLOOD		15732		15742		15752	
		Foot Candles	Beam Width	Foot Candles	Beam Width	Foot Candles	Beam Width
	Feet						
	4	35.78	1.9	66.94	1.8	98.1	2.07
	8	9	3.9	16.75	3.6	24.5	4.1
	16	2.2	7.8	4.15	7.3	6.1	8.2
	24	0.98	11.7	1.84	10.95	2.71	12.3
	32	0.55	15.6	1.04	14.6	1.53	16.4
40	0.35	19.5	0.66	18.25	0.98	20.5	
60° WIDE FLOOD		15733		15743		15753	
		Foot Candles	Beam Width	Foot Candles	Beam Width	Foot Candles	Beam Width
	Feet						
	4	18.54	2.4	36.9	2.4	47.03	2.4
	8	4.65	4.8	9.3	4.8	11.8	4.8
	16	1.15	9.6	2.3	9.6	2.9	9.6
	24	0.51	14.4	1.02	14.4	1.29	14.4
	32	0.29	19.2	0.58	19.2	0.73	19.2
40	0.18	24	0.37	24	0.46	24	

ITEM #	Description	ITEM #	Description
1	K/15601 Surface Mounting Flange 35.00	9	K/15649 Stem Coupler 20.00
2	K/15607 Tree/Surface Bracket 25.00	10	K/15875AMB Amber Lens - 4.5/8.5 29.00 K/15876AMB Amber Lens - 12.4 35.00
3	K/15609 Junction Box Bracket 37.00	11	K/15885GRN Green Lens - 4.5/8.5 29.00 K/15886GRN Green Lets - 12.4 35.00
4	K/15647 90° Elbow 21.00	12	K/15895FRO Frosted Lens - 4.5/8.5 17.00 K/15896FRO Frosted Lens - 12.4 20.00
5	K/15701 Short Cowl - fits 4.5/8.5 15.00	13	K/15645 - 6" 20.00 K/15656 - 12" 34.00 K/15657 - 18" 37.00 K/15658 - 24" 50.00
6	K/15702 Short Cowl - fits 12.4 16.00		
7	K/15703 Long Cowl - fits 4.5/8.5 23.00		
8	K/15704 Long Cowl - fits 12.4 26.00		



ACCESSORIES

LED / HYBRID 12V WALL WASH

KICHLER - 12V - 4.3W (5.8VA) LED - WALL WASH

NEW



AZT

\$ 279⁰⁰



BKT

* 5-DAY DIRECT SHIP

ITEM #:	K/16070
Beam Spread	Vertical = 80° Horizontal = 100°
Color Temp / Lumens	2700K / 294Lm * 3000K / 302Lm
Finish	AZT - Textured Arch. Bronze BKT - Textured Black *
Wiring	63" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	6" H x 5.375" W
Housing	Cast Aluminum
Warranty	15 Year / 40,000 hours

KICHLER - 12V - 4.3W (5.8VA) LED - WALL WASH

NEW



AZT


\$ 284⁰⁰



BKT

* 5-DAY DIRECT SHIP

ITEM #:	K/15861
Beam Spread	Vertical = 108° Horizontal = 111°
Color Temp / Lumens	2700K / 294Lm * 3000K / 302Lm
Finish	AZT - Textured Arch. Bronze BKT - Textured Black *
Wiring	64" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	6" H x 3.25" W
Housing	Cast Aluminum
Warranty	15 Year / 40,000 hours



ACCENT UPLIGHTING shines light upward to illuminate an object or surface for dramatic, attention-getting visuals

Shown: 16070 LED Wall Wash – 3000K
15384 Mini Accent with LED Drop-In Lamp – 3000K


KICHLER - 12V - WALL WASH



\$ 112⁰⁰

ITEM #:	K/15476
Description	Brass fixture with clear lens, frosted & linear lens options
Housing	Brass
Wiring	53" of usable #18-2, SPT-1-W leads.
Lamp Base	12V T-5 Wedge base socket
LED Lamp Options	1.2W T5 Micro (2700K) 2W T5 Beacon (2700K & 3000K)
Dimensions	4.35" H x 4" W
Warranty	Lifetime Warranty on fixture housing

ALLIANCE - 12V - FLOOD LIGHT



\$ 114⁰⁰


ITEM #:	ALL/FL50
Description	Brass fixture with aged brass finish
Housing	Brass
Wiring	Double Wire Lead: 16 awg, 25ft & 18in wire lead
Lamp Base	G4 Bi-pin (20W Xelogen lamp included)
LED Lamp Options	1.2W Mico bi-pin (2700K) 2W Beacon bi-pin (2700K & 3000K)
Dimensions	2" H x 4" W
Warranty	Lifetime Warranty on fixture housing



INCANDESCENT/LED HYBRID ACCENT


KICHLER - 12V - UP LIGHT - MR16

NEW





ITEM #:	K/15384	K/15475
Description	Brass accent light	
Housing	Brass	Brass
Wiring	35" of usable #18-2	
Lamp Base	Incandescent MR16	
LED Lamp Options	4W, 5W, 7W (15°, 30°, 60° Available)	
Dimensions	6" H x 2.5"W	5.2" H x 2.24"W
Warranty	Lifetime Warranty on fixture housing	

KICHLER - 12V - UP LIGHT - MR16



ITEM #:	K/15384
Description	For uplighting only
Housing	Cast Aluminum
Finish	AZT - Textured Arch. Bronze BKT - Textured Black
Wiring	35" of usable #18-2
Lamp Base	Incandescent Bi-pin, MR16
LED Lamp Options	4W, 5W, 7W (15°, 30°, 60° Available)
Dimensions	6" H x 2.5"W
Warranty	5 Year on fixture & finish

ALLIANCE - 12V - ACCENT LIGHT



ITEM #:	ALL/BL200	ALL/BL205	ALL/BL205COP
Description			
Housing	Brass	Copper	
Wiring	16 awg, 18" wire lead		Double Wire Lead: 16 awg, 25ft & 18in wire lead
Lamp Base	MR16		
LED Lamp Options	4W, 5W, 7W (15°, 30°, 60° Available)		
Dimensions	7.255" H x 2.5"W	7.255" H x 2.5"W	5.75" H x 2.5"W
Warranty	Lifetime on fixture housing		

KICHLER - 12V - MINI DOWN ACCENT LIGHT WITH BRACKET



\$ 159⁰⁰

ITEM #:	K/15087
Housing	Cast Aluminum w/ wire mesh cover
Lamp Base	MR16
Supplied Lamp	Not Supplied
Finish	AZT - Textured Arch. Bronze
Wiring	35" of #18-2
Dimensions	2.5"W x 4"H
LED Options	4W, 5W, 7W in (15°, 30°, 60°)
Warranty	5 Year Warranty on Finish

ALLIANCE - 12V - DOWN LIGHT WITH TREE MOUNT



\$ 139⁰⁰

ITEM #:	ALL/DL100
Housing	Brass
Lamp Base	MR16
Supplied Lamp	35W MR16
Finish	Aged Brass
Wiring	25' of #16-2
Dimensions	2.5"W x 6.5" H
LED Options	4W, 5W, 7W in (15°, 30°, 60°)
Warranty	Lifetime Warranty on Fixture Housing

KICHLER - 12V - MINI DOWN LIGHT W/ LONG COWL



\$ 194⁰⁰

ITEM #:	K/15494
Housing	Cast Aluminum with 15609 junction box mounting bracket
Lamp Base	MR16
Supplied Lamp	Not Supplied
Finish	AZT - Textured Arch. Bronze
Wiring	35" of #18-2
Dimensions	3.75W x 10"H
LED Options	4W, 5W, 7W in (15°, 30°, 60°) 2700K & 3000K
Warranty	5 Year Warranty on Finish

DESIGN PRO LED 12V PATH & SPREAD

**BEST
SELLER!**

KICHLER - 12V - 8" LED DOME



\$ 219⁰⁰



\$ 219⁰⁰

ITEM #:	K/15810
Housing	Cast Aluminum
Watts / VA	4.3 W (5.8 VA)
Color Temp / Lumens	3000K / 302Lm
Finish	AZT - Textured Arch. Bronze BKT - Textured Black
Wiring	30" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	21" H x 8.25" W
Warranty	15 Year / 40,000 hours

KICHLER - 12V - LED HAMMERED ROOF



\$ 239⁰⁰



\$ 319⁰⁰

ITEM #:	K/15871
Housing	Cast Aluminum Cast Brass *
Watts / VA	3.8 W (4.95 VA)
Color Temp / Lumens	2700K / 168Lm * 3000K / 182Lm
Finish	TZT - Textured Tannery Bronze BBR - Cast Brass *
Wiring	30" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	22" H x 8.25" W
Warranty	15 Year / 40,000 hours

* 5-DAY DIRECT SHIP

KICHLER - 12V - LED FORGED



\$ 239⁰⁰

ITEM #:	K/15803
Housing	Cast Aluminum
Watts / VA	3.8 W (4.95 VA)
Color Temp / Lumens	2700K / 168Lm * 3000K / 182Lm
Finish	AZT - Textured Arch. Bronze
Wiring	24" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	26.2" H x 8" W
Warranty	15 Year / 40,000 hours

* 5-DAY DIRECT SHIP

KICHLER - 12V - LED PIERCED DOME



\$ 229⁰⁰

ITEM #:	K/15857
Housing	Cast Aluminum
Watts / VA	3.8 W (4.95 VA)
Color Temp / Lumens	3000K / 182Lm
Finish	AZT - Textured Arch. Bronze
Wiring	24" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	21.5 H x 6.25" W
Warranty	15 Year / 40,000 hours

KICHLER - 12V - LED LLENA



CO

\$ 269⁰⁰



AZT

\$ 219⁰⁰

ITEM #:	K/15820
Housing	Cast Aluminum, Copper
Watts / VA	3.8W (4.95 VA)
Color Temp / Lumens	3000K / 182 Lm
Finish	AZT - Textured Arch. Bronze
Wiring	30" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	22.5" H x 6.25" W
Warranty	15 Year / 40,000 hours

KICHLER - 12V - LED RIPLEY



AZT

\$ 239⁰⁰

ITEM #:	K/15800
Housing	Cast Aluminum
Watts / VA	4.3W (5.8 VA)
Color Temp / Lumens	2700K / 294 Lm * 3000K / 302 Lm
Finish	AZT - Textured Arch. Bronze BBR - Bronzed Brass *
Wiring	24" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	25.5" H x 7.25" W
Warranty	15 Year / 40,000 hours

* 5-DAY DIRECT SHIP

KICHLER - 12V - LED SHALLOW SHADE - SMALL



BKT

\$ 239⁰⁰

ITEM #:	K/15805
Housing	Cast Aluminum
Watts / VA	4W (5.8 VA)
Color Temp / Lumens	2700K / 126Lm * 3000K / 140 Lm
Finish	BKT - Textured Black
Wiring	30" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	23.8" H x 6" W
Warranty	15 Year / 40,000 hours

* 5-DAY DIRECT SHIP

ITEM #	Description	Finish	\$
1	K/15601 Surface Mounting Flange	AZT/BKT	35.00
2	K/15607 Surface Mounting Bracket	AZT/BKT	25.00



DESIGN PRO LED 12V PATH & SPREAD

KICHLER - 12V - LED BROAD ROOF

NEW



AZT


\$ 379⁰⁰

ITEM #:	K/15833
Housing	Cast Aluminum
Watts / VA	4W (5.8 VA)
Color Temp / Lumens	2700K / 126Lm * 3000K / 140Lm
Finish	AZT - Textured Arch. Bronze
Wiring	30" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	26.2" H x 8" W
Warranty	15 Year / 40,000 hours

* 5-DAY DIRECT SHIP

KICHLER - 12V - LED SHEPHERD'S CROOK

NEW



AZT

\$ 259⁰⁰

ITEM #:	K/15807
Housing	Cast Aluminum
Watts / VA	4.3W (4.95 VA)
Color Temp / Lumens	2700K / 168Lm * 3000K / 182Lm
Finish	AZT - Textured Arch. Bronze
Wiring	24" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	26.2" H x 8" W
Warranty	15 Year / 40,000 hours

* 5-DAY DIRECT SHIP

KICHLER - 12V - LED FUNDAMENTALS™

NEW



AZT

\$ 224⁰⁰



BKT

\$ 224⁰⁰

ITEM #:	K/16120
Housing	Cast Aluminum
Watts / VA	4.3 W (5.8 VA)
Color Temp / Lumens	2700K / 294Lm * 3000K / 302Lm *
Finish	AZT - Textured Arch. Bronze * BKT - Textured Black *
Wiring	30" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	21" H x 6" W
Warranty	15 Year / 40,000 hours

* 5-DAY DIRECT SHIP

KICHLER - 12V - LED FOUR CORNERS

NEW



AZT

\$ 249⁰⁰



BKT

\$ 249⁰⁰

ITEM #:	K/16121
Housing	Cast Aluminum
Watts / VA	4W (5.8 VA)
Color Temp / Lumens	2700K / 294Lm * 3000K / 302Lm*
Finish	AZT - Textured Arch. Bronze* BKT - Textured Black*
Wiring	30" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	20" H x 4.75" W
Warranty	15 Year / 40,000 hours

* 5-DAY DIRECT SHIP

KICHLER - 12V - OVERLAY

NEW



\$ 249⁰⁰

ITEM #:	K/16121
Housing	Cast Aluminum
Watts / VA	3.8W (5.8 VA)
Color Temp / Lumens	2700K / 294Lm * 3000K / 302Lm
Finish	AZT - Textured Arch. Bronze on Textured Tannery Bronze finish
Wiring	30" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	21" H x 7" W
Warranty	15 Year / 40,000 hours

* 5-DAY DIRECT SHIP



12V BOLLARD

KICHLER - 12V - LED LOUVERED BOLLARD

NEW



\$ 389⁰⁰



* 5-DAY DIRECT SHIP

ITEM #:	K/16130
Housing	Cast Aluminum with Weathered White Glass
Watts / VA	3.5W (5.67 VA)
Color Temp / Lumens	2800K / 224Lm *
Finish	AZT - Textured Arch. Bronze BKT - Textured Black
Wiring	20" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	29" H x 6.125" W
Required Installation	15671ST - Bollard Template Kit OR
Accessories	15578BK - Bollard Mounting Stake
Warranty	15 Year / 40,000 hours

KICHLER - 12V - LED TEE BOLLARD

NEW



\$ 359⁰⁰



ITEM #:	K/16131
Housing	Cast Aluminum with Weathered White Glass
Watts / VA	3.5W (5.67 VA)
Color Temp / Lumens	2800K / 224Lm
Finish	AZT - Textured Arch. Bronze BKT - Textured Black
Wiring	20" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	29" H x 4" W
Required Installation	15671ST - Bollard Template Kit OR
Accessories	15578BK - Bollard Mounting Stake
Warranty	15 Year / 40,000 hours

KICHLER - 12V - LED SIDE THROW BOLLARD

NEW




\$ 369⁰⁰




* 5-DAY DIRECT SHIP

ITEM #:	K/16132
Housing	Cast Aluminum with Weathered White Glass
Watts / VA	3.5W (5.67 VA)
Color Temp / Lumens	2800K / 224Lm *
Finish	AZT - Textured Arch. Bronze BKT - Textured Black
Wiring	20" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	29" H x 4" W
Required Installation	15671ST - Bollard Template Kit OR
Accessories	15578BK - Bollard Mounting Stake
Warranty	15 Year / 40,000 hours


ITEM #	Description	Finish	\$
1	K/15671ST Bollard Template Kit	-	37.00
2	K/15578BK Bollard Mounting Stake	BK	31.00



FOCUS - 12V - 34" SQUARE BOLLARD



\$ 239⁰⁰



Angle Cut

ITEM #:	FOC/PL-23-34BLT or FOC/PL-23-34BRT
Housing	Aluminum
Lamp Base	SCB - BEACON 2W (2700K & 3000K)
Finish	Black or Bronze
Dimensions	2.25" square x 34"
Wiring	36" of 18-2
Warranty	3 Year Warranty

No stake required; 10" of total length designed to go in ground for total above ground height of 24"

IN-LITE - 12V - LED LIV BOLLARD

NEW



\$ 249⁰⁰



\$ 249⁰⁰

ITEM #:	INL/1300260	INL/1300261
Housing	Aluminum Housing	
Watts / VA	2W	
Color Temp / Lumens	2950K / 224Lm	
Finish	S - Silver	BKT - Black
Operating Range	12V AC	
Dimensions	24" H x 2.64" W	
Warranty	5 Year	



12V INCANDESCENT/LED HYBRID PATH & SPREAD

KICHLER - 12V - TRADITIONAL

NEW



\$ 154⁰⁰

ITEM #:	K/15478
Housing	Cast Brass
Lamp Base	Bi-pin
Supplied Lamp	-
Finish	CBR - Centennial Brass
Wiring	30" of usable #18-2
Dimensions	23.07" H x 6.77" W
LED Options	1.2W Bi-pin Micro (2700K) , 2W Beacon Bi-pin (2700K & 3000K)
Warranty	Limited Lifetime

KICHLER - 12V - 6" DOME

NEW



\$ 154⁰⁰

ITEM #:	K/15470
Housing	Cast Brass
Lamp Base	T5 Wedge Base Socket
Supplied Lamp	16.25W Xenon
Finish	CBR - Centennial Brass
Wiring	24" of usable #18-2
Dimensions	21.25" H x 6" W
LED Options	1.2W T5 Micro (2700K) , 2W T5 Beacon (2700K & 3000K)
Warranty	Limited Lifetime

KICHLER - 12V - MISSIONARY

NEW



\$ 175⁰⁰

ITEM #:	K/15480
Housing	Cast Brass
Lamp Base	Bi-pin
Supplied Lamp	-
Finish	CBR - Centennial Brass
Wiring	30" of usable #18-2
Dimensions	22.95" H x 8.53" W
LED Options	1.2W Bi-pin Micro (2700K) , 2W Beacon Bi-pin (2700K & 3000K)
Warranty	Limited Lifetime

KICHLER - 12V - 8" DOME



AZT

\$ 109⁰⁰



BKT

ITEM #:	K/15310
Housing	Cast Aluminum
Lamp Base	T5 Wedge Base Socket
Supplied Lamp	16.25W Xenon
Finish	AZT - Textured Arch. Bronze BKT - Textured Black
Wiring	24" of usable #18-2
Dimensions	21" H x 8.25" W
LED Options	1.2W T5 Micro (2700K) , 2W T5 Beacon (2700K & 3000K)
Warranty	5 Year On Fixture And Finish

INTEGRAL - 12V - PATH LIGHT



\$ 189⁰⁰



ITEM #:	IL/PL24.200 (Black) - IL/PL24.225 (Bronze)
Housing	Aluminum
Lamp Base	T5 Wedge
LED Lamp Options	1.2W T5 Micro (2700K) 2W T5 Beacon (2700K & 3000K)
Finish	Black or Bronze
Dimensions	24" H X 6" W
Wiring	12" of 18-2
Warranty	Limited Lifetime Warranty



12V INCANDESCENT/LED HYBRID PATH & SPREAD

ALLIANCE - 12V - TIERED BRASS PATH



Shade Only

\$ 126⁰⁰

ITEM #:	ALL/AL700
Housing	Aged Brass
Lamp Base	G4 Bi-pin
Supplied Lamp	20W Bi-pin
LED Options	1.2W Bi-pin Micro (2700K) , 2W Beacon Bi-pin (2700K & 3000K)
Finish	Aged Brass
Dimensions	4.5" H x 8.5" W
Warranty	Lifetime On Fixture Housing

* SEE STEM OPTIONS BELOW

ALLIANCE - 12V - BRASS PATH LIGHT



Shade Only

\$ 64⁰⁰

ITEM #:	ALL/AL150
Housing	Aged Brass
Lamp Base	G4 Bi-pin
Supplied Lamp	20W Bi-pin
LED Options	1.2W Bi-pin Micro (2700K) , 2W Beacon Bi-pin (2700K & 3000K)
Finish	Aged Brass
Dimensions	2 H x 6.25" W
Warranty	Lifetime On Fixture Housing

* SEE STEM OPTIONS BELOW

ALLIANCE - 12V - BRASS PATH LIGHT



Shade Only

\$ 44⁰⁰

ITEM #:	ALL/AL500
Housing	Aged Brass
Lamp Base	G4 Bi-pin
Supplied Lamp	20W Bi-pin
LED Options	1.2W Bi-pin Micro (2700K) , 2W Beacon Bi-pin (2700K & 3000K)
Finish	Aged Brass
Dimensions	2.5" H x 5" W
Warranty	Lifetime On Fixture Housing

* SEE STEM OPTIONS BELOW

ITEM #	Description	\$
1	ALL/ALSTEM18 18" Stem, Dual Lead, 18"/25' & Stake	\$99
2	ALL/ALSTEMADJ Adjustable Stem 18"-29", Dual Lead, 18"/25' & Stake	\$149

ALLIANCE - 12V - ADJUSTABLE BRASS PATH LIGHT



Stem Incl.

\$ 175⁰⁰

ITEM #:	ALL/PL200
Housing	Aged Brass
Lamp Base	G4 Bi-pin
Supplied Lamp	20W Bi-pin
Finish	Aged Brass
Wiring	25' wire lead,
Dimensions	Adjustable 17-27" H x 7"W
Warranty	Lifetime On Fixture Housing

ALLIANCE - 12V - ADJUSTABLE BRASS PATH LIGHT



Stem Incl.

\$ 159⁰⁰

ITEM #:	ALL/PL250
Housing	Aged Brass
Lamp Base	G4 Bi-pin
Supplied Lamp	20W Bi-pin
LED Options	1.2W Bi-pin Micro (2700K) , 2W Beacon Bi-pin (2700K & 3000K)
Finish	Aged Brass
Wiring	25' wire lead,
Dimensions	Adjustable 17-27" H x 4"W
Warranty	Lifetime On Fixture Housing

ATLANTIC - COLOR CHANGING HARDSCAPE

NEW



48 COLORS

\$ 189⁹⁸

\$ 234⁹⁸


ITEM #:	ATL/SOLCCH06	ATL/SOLCCH12
Housing	Brass with stainless mounting bracket	
Watts	0.75-2W	1-3W
Input Voltage	12V AC	
Beam Angle	150°	
Dimensions	6"L x 7/8"W x 7/8"H	12"L x 7/8"W x 7/8WH
Warranty	5 Year Limited	



ITEM #	DESCRIPTION	\$
ATL/SOLCMX3	Color changing control module (includes 24W transformer, 3-way 6-wire splitter, control module and remote control)	179.98
ATL/SOLCCEXT	Extension cord 20' fits Color Changing LED	42.98
ATL/SOLCCSPL3	3-Way splitter, 6-wire	37.98

12V HARDSCAPE, DECK, STEP & BENCH

KICHLER - 12V LED - 1 LED Fixture with Bracket (3")



\$ 84.00

\$ 99.00


COPPER EXTRA

* 5-DAY DIRECT SHIP

ITEM #:	K/15744
Housing	Cast Aluminum with removeable bracket
Watts / VA	0.19W / 0.28VA
Color Temp / Lumens	2700K / 8.4Lm * 3000K / 8.6Lm
Finish	AZT - Textured Arch. Bronze GRY - Textured Gray SD - Textured Sand CO - Unfinished Copper
Wiring	70" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	0.6" H x 3" W x 2.9" L
Warranty	15 Year / 40,000 hours

KICHLER - 12V LED - 3 LED Fixture with Bracket (6.9")

**BEST
SELLER!**



\$ 94.00


\$ 119.00

COPPER EXTRA

* 5-DAY DIRECT SHIP

ITEM #:	K/15745
Housing	Cast Aluminum with removeable bracket
Watts / VA	0.75W / 1.3VA
Color Temp / Lumens	2700K / 34.7Lm * 3000K / 44.5Lm
Finish	AZT - Textured Arch. Bronze GRY - Textured Gray SD - Textured Sand CO - Unfinished Copper
Wiring	70" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	0.6" H x 6.9" W x 2.9" L
Warranty	15 Year / 40,000 hours

KICHLER - 12V LED - 6 LED Fixture with Bracket (12.9")



\$ 154.00

\$ 169.00

COPPER EXTRA

* 5-DAY DIRECT SHIP

ITEM #:	K/15746
Housing	Cast Aluminum with removeable bracket
Watts / VA	01.4W / 2.4VA
Color Temp / Lumens	2700K / 69.5Lm * 3000K / 88Lm
Finish	AZT - Textured Arch. Bronze GRY - Textured Gray SD - Textured Sand CO - Unfinished Copper
Wiring	70" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	0.6" H x 12.9" W x 2.9" L
Warranty	15 Year / 40,000 hours

Photometrics (fc)	K/15744 (3")					K/15745 (6.9")					K/15746 (12.9")					K/15756 (18.9")				
	0'	1'	2'	3'	4'	0'	1'	2'	3'	4'	0'	1'	2'	3'	4'	0'	1'	2'	3'	4'
Mounting Height	0'	1'	2'	3'	4'	0'	1'	2'	3'	4'	0'	1'	2'	3'	4'	0'	1'	2'	3'	4'
Foot Candles at 12"	8.65	1.1	0.07	0.03	0.02	43.7	4.89	0.31	0.12	0.07	65.1	9.74	0.60	0.22	0.14	80.4	12.0	1.08	0.36	0.21
Foot Candles at 24"	2.08	0.98	0.30	0.06	0.04	10.7	4.87	1.29	0.12	0.08	49.6	9.15	2.2	0.48	0.24	26.8	13.1	3.81	0.91	0.39
Foot Candles at 36"	0.95	0.61	0.30	0.14	0.06	4.96	3.14	1.56	0.67	0.24	9.16	5.82	2.74	1.00	0.30	13.5	8.43	4.55	1.78	0.62

KICHLER - 12V LED - 9 LED Fixture with Bracket (18.9")



\$ 209⁰⁰

\$ 239⁰⁰

COPPER EXTRA

ITEM #:	K/15756
Housing	Cast Aluminum with removeable bracket
Watts / VA	2.2W / 3.7VA
Color Temp / Lumens	2700K / 104.2Lm * 3000K / 132Lm
Finish	AZT - Textured Arch. Bronze GRY - Textured Gray SD - Textured Sand CO - Unfinished Copper
Wiring	70" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	0.6" H x 18.9" W x 2.9" L
Warranty	15 Year / 40,000 hours

* 5-DAY DIRECT SHIP

Easy to Install

Thoughtful installation, so whether new or existing construction, you can design effectively and install it efficiently.



NEW CONSTRUCTION

LED light fixture and stainless steel mounting bracket are preassembled and ready to install.

RETROFIT

Need to mount on a flat or vertical surface? No problem. The available flat mount accessory brackets (15716 SS, 15717 SS, 15718 SS, 15719 SS) allow for a variety of retrofit and new build applications.




Hardscape Spacing Recommendations

Item ID	(3.0") 15734, 15744	(6.9") 15735, 15745	(12.9") 15736, 15746	(18.9") 15755, 15756
MTG HT	RECOMMENDED SPACING (CENTER TO CENTER)			
12"	12"	2'	3'	4'
24"	9"	3'	4'	5'
36"	7"	4'	6'	8'



ITEM #	Description	\$
1	K/15716SS 1 LED Flat Mount Bracket	10.00
2	K/15717SS 3 LED Flat Mount Bracket	15.00
3	K/15718SS 6 LED Flat Mount Bracket	24.00
4	K/15719SS 9 LED Flat Mount Bracket	33.00



LED 12V AC FLEX STRIP LIGHT

BRILLIANCE LED 12V STRIP

NEW


The Brilliance LED AC (TPU-GEN 3) Strip Light is rated for outdoor use and can be directly connected to an existing 8-16VAC landscape lighting system. Great accent lighting for stairs, railings and overhangs. The LED's on this Strip Light are encased in non-yellowing material that installs easily.

Features:

- Dimmable with most magnetic transformers
- Max length per power feed is 39.4'
- Available in 25 meter (82') reels or custom cut to specific lengths.
- Custom cut lengths incur a 10% surcharge



Wattage	1.8 per meter
Lumens	144 (45/ft)
Kelvin	2700
Operating Range	8 - 16 VAC
CRI	75
IP	65
Lamp Life (hours)	35,000
Warranty	3 Years



\$ 24⁰⁰/FT

Brilliance LED 3rd Generation Strip Light Dimensions:
30 cm Example without end connections
(may be cut at each 3 LED section - 10 cm)




FIGURE C: Proper Handling





FIGURE D: Proper positioning of connector pins



KING MINI-TORCH

NEW



\$ 49⁰⁰

ITEM #: KIN/43010






Fuel: Butane (not included)

Capacity: 0.85 oz

Operating time: 35 Min

Approx Temp: 1300°

INSTALLATION INSTRUCTIONS



BRILLIANCE LED 12V STRIP ACCESSORIES
NEW

\$ 9⁰⁰
Double-Sided Connector Kit
ITEM #: BRI/5424

- 1 - Double-Sided Connector
- 2 - Clear Plastic Retainers
- 2 - Metal Anti Slip Plates
- 1 - Heat Shrink Tube


\$ 26⁰⁰
10\" Jumper Connector Kit
ITEM #: BRI/6063

- 1 - Jumper Connector
- 2 - Clear Plastic Retainers
- 2 - Metal Anti-slip Plates
- 2 - Heat-shrink Tubes


\$ 26⁰⁰
90\" Jumper Connector Kit
ITEM #: BRI/6988

- 1 - Jumper Connector
- 2 - Clear Plastic Retainers
- 2 - Metal Anti-slip Plates
- 2 - Heat-shrink Tubes


\$ 17⁰⁰
Power Feed Kit
ITEM #: BRI/5448

- 1 - Power Feed
- 1 - Clear Plastic Retainer
- 1 - Metal Anti-slip Plate
- 1 - Heat-shrink Tube


\$ 28⁰⁰
\"T\" Power Feed Connector Kit
ITEM #: BRI/6087

- 1 - \"T\" Power Feed Connector
- 2 - Clear Plastic Retainers
- 2 - Metal Anti-slip Plates
- 2 - Heat-shrink Tubes


\$ 4⁰⁰
End Cap Kit
ITEM #: BRI/6070

- 1 - End Cap
- 1 - Light Shield
- 1 - Heat-shrink Tube


\$ 14⁰⁰
Extrusion Kit
ITEM #: BRI/6117

- 1m (3.2') Extrusion sections


\$ 45⁰⁰
Clip & Screw Kit
ITEM #: BRI/5431

- 50 - Plastic Clips
- 100 - Screws


\$ 59⁰⁰

ITEM #:	HAF/833.74.816
Finish	Aluminum, silver coloured anodized
Cover	Frosted
Length (mm)	2500 (8 ft)
Width (mm)	18
Height (mm)	13

LED 12V WALL DECK & PATIO

KICHLER - 12V LED - HALF MOON DECK LIGHT



\$ 124⁰⁰



* 5-DAY DIRECT SHIP

ITEM #:	K/15764
Housing	Cast Aluminum
Watts / VA	.86W, 1.86 VA
Color Temp / Lumens	2700K/ 41Lm * 3000K / 43Lm
Finish	AZT - Textured Arch. Bronze WHT - Textured White *
Wiring	72" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	4" H x 4" W
Warranty	15 Year / 40,000 hours

KICHLER - 12V LED - MINI DECK LIGHT



\$ 114⁰⁰



* 5-DAY DIRECT SHIP

ITEM #:	K/15765
Housing	Cast Aluminum
Watts / VA	.86W, 1.86 VA
Color Temp / Lumens	2700K/ 41Lm * 3000K / 43Lm
Finish	AZT - Textured Arch. Bronze WHT - Textured White BKT - Textured Black
Wiring	72" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	2.375" H x 3.75" W
Warranty	15 Year / 40,000 hours

KICHLER - 12V LED - HAMMERED ROOF DECK LIGHT



\$ 124⁰⁰

* 5-DAY DIRECT SHIP

ITEM #:	K/15763
Housing	Brass
Watts / VA	.86W, 1.86 VA
Color Temp / Lumens	2700K/ 41Lm * 3000K / 43Lm
Finish	TZT - Textured Tannery Bronze
Wiring	72" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	3" H x 3.75" W
Warranty	15 Year / 40,000 hours

KICHLER - 12V LED - FUNDAMENTALS DECK LIGHT


NEW



CO

\$ 129⁰⁰

* 5-DAY DIRECT SHIP



AZT

BKT

\$ 119⁰⁰

ITEM #:	K/16110
Housing	Cast Aluminum, Copper
Watts / VA	.86W, 1.86 VA
Color Temp / Lumens	2700K/ 41Lm * 3000K / 43Lm
Finish	AZT - Textured Arch. Bronze BKT - Textured Black CO - Unfinished Copper
Wiring	72" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	2.5" H x 13.25" W
Warranty	15 Year / 40,000 hours

KICHLER - 12V LED - FOUR CORNERS

NEW



AZT

\$ 119⁰⁰

* 5-DAY DIRECT SHIP



TZT

BKT

ITEM #:	K/16111
Housing	Cast Aluminum
Watts / VA	.86W, 1.86 VA
Color Temp / Lumens	2700K/ 41Lm * 3000K / 43Lm
Finish	AZT - Textured Arch. Bronze WHT - Textured White TZT - Textured Tannery Bronze
Wiring	72" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	2.375" H x 3.19" W
Warranty	15 Year / 40,000 hours

KICHLER - 12V LED - OVERLAY

NEW



AZT

\$ 129⁰⁰

* 5-DAY DIRECT SHIP

ITEM #:	K/16112
Housing	Cast Aluminum
Watts / VA	.86W, 1.86 VA
Color Temp / Lumens	2700K/ 41Lm * 3000K / 43Lm
Finish	AZT - Textured Tannery Bronze (with TZT undertones)
Wiring	72" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	2.25" H x 3.75" W
Warranty	15 Year / 40,000 hours

NEW



LED DECK & STEP MODULE

- Fully potted/water proof design adds durability
- More efficient wire management, easier installation
- Diffused lens evens out light distribution and cuts glare, improved light output, better color control
- 9-15V operating range
- New smaller footprint designs provide better fit / more variety of designs

12V LED WALL DECK & PATIO

FOCUS - 12V - FLAT PANEL LED STEP - SURFACE MOUNT



\$ 169⁰⁰

ITEM #:	FOC/SL-02-LEDP-BAR-25F
Housing	Brass
Watts	4W
Color Temp	3000K
Finish	Brass - Acid Rust
Wiring	25' of #16-2
Operating Range	10V - 15V
Dimensions	3" H x 4.75" W x 0.75" D
Warranty	Lifetime on Finish 3 Year on Electrical Components

FOCUS - 12V - FLAT PANEL LED STEP - SURFACE MOUNT



\$ 219⁰⁰

ITEM #:	FOC/SL-50-LEDP-25F
Housing	Brass
Watts / VA	5W
Color Temp / Lumens	3000K
Finish	Brass - Acid Brass
Wiring	25' of #16-2
Operating Range	10V - 15V
Dimensions	2" H x 7.25" W x 1.125" D
Warranty	Lifetime on Finish 3 Year on Electrical Components

KICHLER - 12V LED - LOUVERED STEP LIGHT



\$ 129⁰⁰

* 5-DAY DIRECT SHIP

ITEM #:	K/15782
Housing	Cast Aluminum
Watts / VA	.86W, 1.86 VA
Color Temp / Lumens	2700K / 41m * 3000K / 43Lm
Finish	AZT - Textured Arch. Bronze BKT - Textured Black *
Wiring	72" of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	3" H x 5" W
Warranty	15 Year / 40,000 hours

KICHLER - 12V - SOLID BRASS DECK

NEW



CBR

\$ 95⁰⁰

ITEM #:	K/15477
Housing	Cast Brass
Lamp Base	T5 Wedge
Supplied Lamp	Not Supplied
Finish	CBR - Centennial Brass
Wiring	73" of usable #18-2
Dimensions	3.43" H x 3.43" W
LED Options	1.2W Micro T5 2700K & 2.1W Beacon T5 2700K & 3000K
Warranty	Limited Lifetime

KICHLER - 12V - MINI DECK LIGHT



AZT

\$ 67⁰⁰

ITEM #:	K/15165
Housing	Thermoplastic Composite Resin
Lamp Base	T5 Wedge Base
Supplied Lamp	6.5W - 918X Xenon
Finish	AZT - Textured Arch. Bronze
Wiring	71" of usable #18-2
Dimensions	1.175" H x 3.75" W x 2.375" D
LED Options	1.2W Micro T5 2700K & 2.1W Beacon T5 2700K & 3000K
Warranty	5 Year On Fixture And Finish

KICHLER - 12V - LOUVERED DECK/RAIL LIGHT



AZT

\$ 109⁰⁰



WHT

ITEM #:	K/15066
Housing	Cast Aluminum
Lamp Base	T5 Wedge Base
Supplied Lamp	6.5W - 918X Xenon
Finish	AZT - Textured Arch. Bronze WHT - Textured White
Wiring	72" of usable #18-2
Dimensions	6" H x 1.25" W
LED Options	1.2W Micro T5 2700K & 2.1W Beacon T5 2700K & 3000K
Warranty	5 Year On Fixture And Finish

WALL, DECK & PATIO HYBRID

FOCUS - 12V - MICRO WALL MOUNT DOWN LIGHT (MR 8)



ITEM #:	FOC/SL-16-DMR8
Housing	Cast Brass
Lamp Base	MR8
Supplied Lamp	Not Supplied
Finish	Cast Brass (Acid Rust)
Wiring	Black and 2 White 250°C Silicone Lead Wires
Dimensions	1.2"W x 3"H x 2"D
LED Options	1.5W MR8 30° in 2700K & 3000K
Warranty	Lifetime Warranty on Finish / 3 Year on Electrical Components

FOCUS - 12V - SMALL WALL MOUNT DOWN LIGHT (MR 11)




ITEM #:	FOC/SL-16-DMR11
Housing	Cast Brass
Lamp Base	MR11
Supplied Lamp	Not Supplied
Finish	BRA - Cast Brass (Acid Rust)
Wiring	Black and 2 White 250°C Silicone Lead Wires
Dimensions	1.7"W x 3"H x 2.5"D
LED Options	2W MR11 30° in 2700K & 3000K
Warranty	Lifetime Warranty on Finish / 3 Year on Electrical Components

FOCUS - 12V - MEDIUM WALL MOUNT DOWN LIGHT (MR 16)



ITEM #:	FOC/SL-16-DMR16
Housing	Cast Brass, Stainless Steel
Lamp Base	MR16
Supplied Lamp	Not Supplied
Finish	BRA - Cast Brass (Acid Rust) SS - Stainless Steel
Wiring	Black and 2 White 250°C Silicone Lead Wires
Dimensions	2.5"W x 3.625"H x 3.25"D
LED Options	4W, 5W, 7W in (15°, 30°, 60°) 2700K & 3000K
Warranty	Lifetime Warranty on Finish / 3 Year on Electrical Components

FOCUS - 12V - UP & DOWN LIGHT



ITEM #:	FOC/SL-MR16
Housing	Cast Brass / Stainless Steel
Lamp Base	MR16
Supplied Lamp	Not Supplied
Finish	BRA - Cast Brass (Acid Rust) SS - Stainless Steel
Wiring	Black and 2 White 250°C Silicone Lead Wires
Dimensions	2.5"W x 5.5"H x 3.25"D
LED Options	4W, 5W, 7W in (15°, 30°, 60°) 2700K & 3000K
Warranty	Lifetime Warranty on Finish / 3 Year on Electrical Components

ALLIANCE - 12V - UP/DOWN ACCENT LIGHT



ITEM #:	ALL/WS300
Housing	Aged Brass
Lamp Base	MR 16
Supplied Lamp	35W MR16
LED Lamp Options	4W, 5W, 7W in (15°, 30°, 60°) 2700K & 3000K
Finish	Aged Brass
Wiring	25' of #16-2
Dimensions	5" H x 3" W
Warranty	Lifetime On Fixture Housing

KICHLER - 12V - UP/DOWN ACCENT LIGHT



ITEM #:	K/15079
Housing	Cast Aluminum
Lamp Base	T5 Wedge Base
Supplied Lamp	11.6W Xenon (2)
Finish	AZT - Textured Arch. Bronze
Wiring	70" of usable #18-2
Dimensions	6" H x 3" W
LED Options	1.2W Micro T5 2700K & 2.1W Beacon T5 2700K & 3000K
Warranty	5 Year On Fixture And Finish
Optional Accessory	K/15659 Lens

ALLIANCE - 12V - UP/DOWN WALL SCONCE LIGHT



ITEM #:	ALL/WS100
Housing	Aged Brass
Lamp Base	G4 Bi-pin (2)
Supplied Lamp	20W Xelogen (2)
LED Lamp Options	1.2W Bi-pin Micro (2700K) , 2W Beacon Bi-pin (2700K & 3000K)
Finish	Aged Brass
Wiring	25' of #16-2
Dimensions	6" H x 3" W x 2" D
Warranty	Lifetime On Fixture Housing

WALL, DECK & PATIO HYBRID

IN-LITE LED IN-GROUND MARKER

NEW



\$ 51⁰⁰

ITEM #:	INL/1211001
Description	Hyve 22 WW
Watts	.25W LED
Color Temp	3000K
Finish	Impact-resistant polycarbonate, filled with a two-component resin
Operating Range	12V
Dimensions	22 mm (0.866")
Warranty	5 Year



\$ 51⁰⁰

ITEM #:	INL/1200400
Description	Fusion 22 WW
Watts	.25W LED
Color Temp	3000K
Finish	Impact-resistant polycarbonate, filled with a two-component resin
Operating Range	12V
Dimensions	22 mm (0.866")
Warranty	5 Year



\$ 63⁰⁰

ITEM #:	INL/1211202
Description	Hyve 22 RVS WW
Watts	.25W LED
Color Temp	3000K
Finish	Impact-resistant polycarbonate, filled with a two-component resin
Operating Range	12V
Dimensions	22 mm (0.866"), stainless ring 28 mm
Warranty	5 Year



\$ 63⁰⁰

ITEM #:	INL/1200401
Description	Fusion 22 RVS WW
Watts	.25W LED
Color Temp	3000K
Finish	Impact-resistant polycarbonate, filled with a two-component resin
Operating Range	12V
Dimensions	22 mm (0.866"), stainless ring 28 mm
Warranty	5 Year



\$ 129⁰⁰

ITEM #:	INL/1200714
Description	Hyve 60 WW
Watts	1W LED
Color Temp	3000K
Finish	Impact-resistant polycarbonate, filled with a two-component resin
Operating Range	12V
Dimensions	60 mm (2.362"), stainless ring 68 mm
Warranty	5 Year



\$ 129⁰⁰

ITEM #:	INL/1200630
Description	Fusion 60 WW
Watts	1W LED
Color Temp	3000K
Finish	Impact-resistant polycarbonate, filled with a two-component resin
Operating Range	12V
Dimensions	60 mm (2.362"), stainless ring 68 mm
Warranty	5 Year



KICHLER - 12V - ADJUSTABLE NICHE LIGHT



AZT

\$ 129⁰⁰

ITEM #:	K/15077
Housing	Cast Aluminum
Lamp Base	S8 Wedge
Supplied Lamp	18.5W - 3155K Krypton
Finish	AZT - Textured Arch. Bronze
Wiring	72" of usable #18-2
Dimensions	4" H x 2.5" W
LED Options	2.1W Beacon S8 2700K & 3000K
Warranty	5 Year On Fixture And Finish

ALLIANCE - 12V - HANGING DOWN LIGHT

NEW



\$ 139⁰⁰

ITEM #:	ALL/HL100
Housing	Brass fixture with 18" brass chain
Lamp Base	MR16
Supplied Lamp	35W MR16
Finish	Aged Brass Finish
Wiring	25' of 16/2
Dimensions	5.5" H x 2.25"
LED Options	4W, 5W, 7W in (15°, 30°, 60°) 2700K & 3000K
Warranty	Lifetime Warranty on Fixture Housing

KICHLER - 12V - BBQ LIGHT

NEW



\$ 289⁰⁰

ITEM #:	K/15123BK
Housing	Components of durable high heat thermoplastic resin. Lamp shielded by a high heat-resistant flat glass lens sealed for watertight outdoor use. Flexible stem is durable chrome plated steel with heat shrink rubber sleeving. On/off switch is protected by waterproof rubber boot.
Lamp Base	MR11
Supplied Lamp	35W
LED Lamp Options	2W 30° 2700K, 2W 30° 3000K
Wiring	25" of #18-2
Dimensions	24" Arm, 6" Base
Warranty	1 Year

FOCUS - 12V - BBQ LIGHT




QUICK
CONNECT
with ON/OFF
SWITCH

\$ 499⁰⁰

ITEM #:	FOC/BQ08-QCSSS
Housing	Stainless Steel
Lamp Base	MR16
Supplied Lamp	35W
LED Lamp Options	4W, 5W, 7W in (15°, 30°, 60°)
Finish	Stainless Steel
Wiring	25" of #16-2
Dimensions	24" Arm, 2.6" diameter
Warranty	1 Year

12V LED IN-GRADE ACCENT


12V LED - 1W IN-GRADE ROUND MARKER - FROSTED LENS



\$ 79⁰⁰

ITEM #:	DH/R01F30
Watts:	1W
Color Temp:	3000K
Beam Spread	120°
Finish	316 Stainless Steel
Dimensions	2.25"W x 3"H x 1.625"
Warranty	1 Year Warranty


12V LED - 3W IN-GRADE ROUND MARKER - CLEAR LENS



\$ 89⁰⁰

ITEM #:	DH/R03C30
Watts:	3W
Color Temp:	3000K
Beam Spread	30°
Finish	316 Stainless Steel
Dimensions	2.25"W x 3"H x 1.625"
Warranty	1 Year Warranty


12V LED - 3W IN-GRADE ROUND MARKER WALL WASH



\$ 89⁰⁰

ITEM #:	DH/R03W30
Watts:	3W
Color Temp:	3000K
Beam Spread	45° Wall Wash
Finish	316 Stainless Steel
Dimensions	2.25"W x 3"H x 1.625"
Warranty	1 Year Warranty


12V LED - 1W IN-GRADE SQUARE MARKER - FROSTED LENS



\$ 79⁰⁰

ITEM #:	DH/S01F30
Watts:	1W
Color Temp:	3000K
Beam Spread	120°
Finish	316 Stainless Steel
Dimensions	2.25"W x 3"H x 1.625"
Warranty	1 Year Warranty


12V LED - 3W IN-GRADE SQUARE MARKER - CLEAR LENS



\$ 89⁰⁰

ITEM #:	DH/S03C30
Watts:	3W
Color Temp:	3000K
Beam Spread	30°
Finish	316 Stainless Steel
Dimensions	2.25"W x 3"H x 1.625"
Warranty	1 Year Warranty

12V LED - 3W IN-GRADE SQUARE MARKER - WALL WASH



\$ 89⁰⁰

ITEM #:	DH/S03W30
Watts:	3W
Color Temp:	3000K
Beam Spread	45° Wall Wash
Finish	316 Stainless Steel
Dimensions	2.25"W x 3"H x 1.625"
Warranty	1 Year Warranty

12V LED - 2W IN-GRADE ROUND MARKER - SINGLE OPENING



\$ 99⁰⁰

ITEM #:	DH/R0130
Watts:	2W
Color Temp:	3000K
Finish	316 Stainless Steel
Dimensions	2.125"W x 3"H x 1.625"
Warranty	1 Year Warranty

12V LED - 2W IN-GRADE ROUND MARKER - DOUBLE OPENING



\$ 99⁰⁰

ITEM #:	DH/R0230
Watts:	2W
Color Temp:	3000K
Finish	316 Stainless Steel
Dimensions	2.125"W x 3"H x 1.625"
Warranty	1 Year Warranty

RADIAX DESIGN PRO LED 12V IN-GROUND



FEATURES

- Three lumen output options for just the right punch of light.
- Three beam spread options, 10°, 35° or 60°, put light where you want it.
- A range of Kelvin color temperature choices from warm white 2700K to pure white 3000K.
- Radiax™ Optics deliver the greatest lumens per watt in the industry for comparable fixtures.
- All brass construction is corrosion-free and stronger than aluminum or composite built designs.
- 15° adjustable aiming.
- Auger stake, with anti-heaving feature included.
- Durable 9V-15V operating range.
- Drive-over and walk-over rated.

LED 12V In-Ground

Go ahead and drive on them – our 12V in-ground products are designed to take it all. Multi-application, easy to install design can be embedded in hardscaping materials or concrete and the durable construction is designed to hold up against the elements. Customize to your application with the accessories shown here.



Anti-heaving, Auger-style In-Ground Stake – Included



Rockguard
Optional accessory.

\$ 23⁰⁰
Cowl
Optional accessory.



\$ 36⁰⁰
Concrete Installation Kit
Optional accessory.

KICHLER - 12V - 4W (5.8VA) LED IN-GROUND



\$ 459⁰⁰

ITEM #:	K/16030	K/16031	K/16032
Beam Spread	10°	35°	60°
Color Temp / Lumens	2700K/ 147Lm * 3000K / 170Lm		
Finish	BBR - Bronzed Brass		
Wiring	24" of usable #18-2		
Operating Range	9V - 15V AC/DC		
Dimensions	11" H x 6.6" W		
Housing	Cast Brass		
Warranty	15 Year / 40,000 hours		

* 5-DAY DIRECT SHIP

KICHLER - 12V - 6.5W (9.3VA) LED IN-GROUND



\$ 519⁰⁰

ITEM #:	K/16033	K/16034	K/16035
Beam Spread	10°	35°	60°
Color Temp / Lumens	2700K/ 306Lm * 3000K / 348Lm		
Finish	BBR - Bronzed Brass		
Wiring	24" of usable #18-2		
Operating Range	9V - 15V AC/DC		
Dimensions	11" H x 6.6" W		
Housing	Cast Brass		
Warranty	15 Year / 40,000 hours		

* 5-DAY DIRECT SHIP

KICHLER - 12V - 14W (18.5VA) LED IN-GROUND



\$ 579⁰⁰

ITEM #:	K/16036	K/16037	K/16038
Beam Spread	10°	35°	60°
Color Temp / Lumens	2700K/ 520Lm * 3000K / 590Lm		
Finish	BBR - Bronzed Brass		
Wiring	24" of usable #18-2		
Operating Range	9V - 15V AC/DC		
Dimensions	11" H x 6.6" W		
Housing	Cast Brass		
Warranty	15 Year / 40,000 hours		

* 5-DAY DIRECT SHIP

ITEM #	Description	\$
K/16051BBR	Rock Guard Cast Brass, fits 4W, 6.5W & 14W	
K/16050BBR	Cowl Cast Brass, fits 4W, 6.5W & 14W	
K/16051BBRP	Rock Guard Polycarbonate, fits 4W, 6.5W & 14W	
K/16050BBRP	Cowl Polycarbonate, fits 4W, 6.5W & 14W	
K/16501BBRP	Concrete Kit - Drive over rated. Rated for 4500lbs.	



DESIGN PRO LED 12V IN-GROUND

KICHLER - 12V - 4.5W (7.5VA) LED IN-GROUND



BKT

\$ 259⁰⁰

ITEM #:	K/15767	K/15768	K/15769
Beam Spread	10° *	35°	60° *
Color Temp / Lumens	3000K / 150Lm		
Finish	BKT - Textured Black		
Wiring	35" of usable #18-2		
Operating Range	9V - 15V AC/DC		
Dimensions	8" H x 5.5" W		
Housing	Cast Aluminum Body with Polypropylene sleeve and stainless steel gimble ring		
Warranty	15 Year / 40,000 hours		

* 5-DAY DIRECT SHIP

KICHLER - 2V - 8.5W (12.2VA) LED IN-GROUND



BKT

\$ 319⁰⁰

ITEM #:	K/15728	K/15747	K/15748
Beam Spread	10° *	35°	60° *
Color Temp / Lumens	3000K / 310Lm		
Finish	BKT - Textured Black		
Wiring	35" of usable #18-2		
Operating Range	9V - 15V AC/DC		
Dimensions	8" H x 5.5" W		
Housing	Cast Aluminum Body with Polypropylene sleeve and stainless steel gimble ring		
Warranty	15 Year / 40,000 hours		

* 5-DAY DIRECT SHIP

KICHLER - 12V - 12.4W (16.7 VA) LED IN-GROUND



BKT

\$ 359⁰⁰

ITEM #:	K/15729	K/15757	K/15758
Beam Spread	10° *	35°	60° *
Color Temp / Lumens	3000K / 460Lm		
Finish	BKT - Textured Black		
Wiring	35" of usable #18-2		
Operating Range	9V - 15V AC/DC		
Dimensions	8" H x 5.5" W		
Housing	Cast Aluminum Body with Polypropylene sleeve and stainless steel gimble ring		
Warranty	15 Year / 40,000 hours		

* 5-DAY DIRECT SHIP

ITEM #	Description	\$
K/15787BK	Rock Guard	29.00



ALLIANCE - 12V - WELL LIGHT - CAST BRASS



GL100

\$ 149⁰⁰



GL150

\$ 149⁰⁰

ITEM #:	ALL/GL100	ALL/GL150
Housing	Brass Fixture	
Lamp Base	MR16	
Supplied Lamp	35W MR16	
Finish	Aged Brass	
Wiring	25' of #16-2	
Dimensions	5.25" H x 3.25" W	3.75" H x 3.5" W
LED Options	4W, 5W, 7W in (15°, 30°, 60°) in 2700K & 3000K	
Warranty	Lifetime Warranty on Fixture Housing	

WELL LIGHT TOPPERS

NEW



ITEM #: ALL/GL160-TOP

Grate Top: \$35.00



ITEM #: ALL/GL170-TOP

Opposing Sides: \$35.00



ITEM #: ALL/GL180-TOP

180° Output: \$35.00



ITEM #: ALL/GL190-TOP

360° Output: \$35.00

ALLIANCE - 12V - WELL LIGHT WITH OPEN ROCK GUARD



\$ 229⁰⁰

ITEM #:	ALL/WL300
Housing	Aged Brass Louvered Grate/ ABS Housing
Lamp Base	MR16
Supplied Lamp	35W Halogen
Finish	Aged Brass
Wiring	25' of #16-2
Dimensions	7.5" H x 6.5" W
LED Options	4W, 5W, 7W in (15°, 30°, 60°) in 2700K & 3000K
Warranty	Lifetime Warranty on Fixture Housing

KICHLER - 12V - SOLID BRASS IN-GROUND

NEW



\$ 148⁰⁰

K/15482CBR

\$ 59⁰⁰

ITEM #:	K/15481
Housing	Cast Brass with heat resistant frosted lens
Lamp Base	MR16
Supplied Lamp	Not Supplied
Finish	CBR - Centennial Brass
Wiring	34" of #18-2
Dimensions	4.52" W x 4.92" H
LED Options	4W, 5W, 7W in (15°, 30°, 60°) in 2700K & 3000K
Warranty	Limited Lifetime

2-IN-1 WATER/ACCENT LIGHT

KICHLER - 12V - 3.4W LED - Underwater or Mini Accent Light

**BEST
SELLER!**



Designed for underwater use in ponds, fountains, and other water features. Can also be used out of water as a mini accent light - ideal for wood decks and overhangs.

Filled and sealed with two types of premium encapsulant to ensure fixture is completely watertight.

ITEM #:	K/15711
Housing	Stainless Steel
Watts / VA	3.4W / 4.9VA
Color Temp / Lumens	2700K/ 132Lm * 3000k/ 150Lm
Beam Spread	60°
Finish	SS - Stainless Steel
Wiring	25' of usable #18-2
Operating Range	9V - 15V AC/DC
Dimensions	1.85"H x 1.9"W
Warranty	15 Year / 40,000 hours

* 5-DAY DIRECT SHIP

A

ACCESSORIES



K/15777SS

Stainless steel easy mount bracket (fixture sold separately) for use above ground on any surface - ideal for wood and masonry when used on decks, patios or overhangs.

\$ 21⁰⁰



K/15776BK

Unique heavy weighted 3 pronged underwater accessory for 2 or 3 fixtures (sold separately) to give maximum flexibility and directional capability.

\$ 77⁰⁰



K/15778BK

Heavy weight 1 pronged underwater accessory (light sold separately) for standard installations. Provides advanced directional capability.

\$ 42⁰⁰

KICHLER - 12V - UNDERWATER LIGHT



\$ 159⁰⁰

ITEM #:	K/15191BK
Housing	Thermoplastic Composite Resin
Lamp Base	MR16
Supplied Lamp	Not Supplied
Finish	BK - Black
Wiring	25' of #18-2
Dimensions	6"W x 6"H
LED Options	4W, 5W, 7W in (15°, 30°, 60°)
Warranty	5 Year Warranty on Finish

ALLIANCE - 12V - UNDERWATER LIGHT



\$ 219⁰⁰

ITEM #:	ALL/UW100
Housing	Cast Brass
Lamp Base	MR16
Supplied Lamp	35W MR16
Finish	Aged Brass
Wiring	25' of #16-2
Dimensions	5"H x 4.25"W x 4.25"D
LED Options	4W, 5W, 7W in (15°, 30°, 60°)
Warranty	Lifetime on Fixture Housing




LED MICRO G-4



\$ 28⁰⁰

ITEM #:	BRI/5202
Description	12V Brilliance Micro G-4
Watts	1.2W
Lumen	100Lm
Color Temp	2700K

LED MICRO T5



\$ 28⁰⁰

ITEM #:	BRI/7176
Description	12V Brilliance Micro T5
Watts	1.2W
Lumen	100Lm
Color Temp	2700K

LED BEACON G-4




\$ 32⁰⁰

ITEM #:	BRI/6827
Description	12V Brilliance Beacon G-4
Watts	2W
Lumen	200Lm
Color Temp	2700K

ITEM #:	BRI/6834
Description	12V Brilliance Beacon G-4
Watts	2W
Lumen	200Lm
Color Temp	3000K

LED BEACON T5



\$ 32⁰⁰

ITEM #:	BRI/6964
Description	12V Brilliance Beacon T5
Watts	2W
Lumen	200Lm
Color Temp	2700K

ITEM #:	BRI/5561
Description	12V Brilliance Beacon T5
Watts	2W
Lumen	200Lm
Color Temp	3000K

LED BEACON S8



\$ 32⁰⁰

ITEM #:	BRI/6858
Description	12V Brilliance Beacon S8
Watts	2W
Lumen	200Lm
Color Temp	2700K

ITEM #:	BRI/6919
Description	12V Brilliance Beacon S8
Watts	2W
Lumen	200Lm
Color Temp	3000K

LED BEACON SCB



\$ 32⁰⁰

ITEM #:	BRI/6933
Description	12V Brilliance Beacon SCB
Watts	2W
Lumen	200Lm
Color Temp	2700K

ITEM #:	BRI/6940
Description	12V Brilliance Beacon SCB
Watts	2W
Lumen	200Lm
Color Temp	3000K

LED MR 8



\$ 38⁰⁰

ITEM #:	BRI/3093
Description	12V Brilliance MR 8
Watts	1.5W
Lumen	90Lm
Color Temp	2700K

ITEM #:	BRI/3109
Description	12V Brilliance MR 8
Watts	1.5W
Lumen	90Lm
Color Temp	3000K

LED MR 11



\$ 38⁰⁰

ITEM #:	BRI/3345
Description	12V Brilliance MR 11
Watts	2W
Lumen	120Lm
Color Temp	2700K

ITEM #:	BRI/3338
Description	12V Brilliance MR 11
Watts	2W
Lumen	120Lm
Color Temp	3000K

BRILLIANCE LED MR 16 - 4 WATT (Replaces 20W Halogen)

5 Year Warranty



\$ 49⁰⁰

ITEM #:	BRI/3499	BRI/3505	BRI/3574	BRI/3581	BRI/3659	BRI/3666
Watts	12V - 4W					
Beam Spread	15°	15°	30°	30°	60°	60°
Lumen	260 Lm	265 Lm	260 Lm	265 Lm	260 Lm	265 Lm
Color Temp	2700K	3000K	2700K	3000K	2700K	3000K

MR-16 4-Watt 2700K 15 Degree (SPOT) Candle Power 1877.87

2'	5"	470FC
4'	1'1"	117
6'	1'4"	52
8'	1'9"	29
10'	2'3"	18.7
12'	2'8"	13
14'	3'2"	9.6
16'	3'7"	7.4
18'	4'1"	5.8
20'	4'6"	4.6

MR-16 4-Watt 3000K 15 Degree (SPOT) Candle Power 193

2'	5"	480FC
4'	1'1"	120
6'	1'4"	53
8'	1'9"	30
10'	2'3"	19
12'	2'8"	13
14'	3'2"	10
16'	3'7"	7.4
18'	4'1"	6
20'	4'6"	4.7

MR-16 4-Watt 2700K 30 Degree (FLD) Candle Power 697.07

2'	1'6"	173.02FC
4'	3'	43.25
6'	4'2"	19.22
8'	6'1"	10.86
10'	7'8"	6.92
12'	9'2"	4.80
14'	10'9"	3.56
16'	12'3"	2.74
18'	13'9"	2.12
20'	15'4"	1.73

MR-16 4-Watt 3000K 30 Degree (FLD) Candle Power 734

2'	1'6"	183 FC
4'	3'	46
6'	4'2"	20
8'	6'1"	11.5
10'	7'8"	7.3
12'	9'2"	5
14'	10'9"	3.7
16'	12'3"	3
18'	13'9"	2
20'	15'4"	1.8

MR-16 4-Watt 2700K 60 Degree (WFL) Candle Power 210.93

2'	2'6"	52.53FC
4'	4'8"	13.13
6'	7'	5.84
8'	9'4"	3.30
10'	11'7"	2.10
12'	13'11"	1.46
14'	16'2"	1.08
16'	18'6"	0.83
18'	20'9"	0.64
20'	23'1"	0.52

MR-16 4-Watt 3000K 60 Degree (WFL) Candle Power 225

2'	2'6"	56 FC
4'	4'8"	14
6'	7'	6
8'	9'4"	3.5
10'	11'7"	2
12'	13'11"	1.5
14'	16'2"	1
16'	18'6"	.8
18'	20'9"	.6
20'	23'1"	.5

BRILLIANCE LED MR 16 - 5 WATT (Replaces 35W Halogen)

5 Year Warranty



\$ 54⁰⁰

ITEM #:	BRI/3734	BRI/3741	BRI/3819	BRI/3826	BRI/3895	BRI/3901
Watts	12V - 5W					
Beam Spread	15°	15°	30°	30°	60°	60°
Lumen	320 Lm	415 Lm	320 Lm	415 Lm	320 Lm	415 Lm
Color Temp	2700K	3000K	2700K	3000K	2700K	3000K

MR-16 5-Watt 2700K 15 Degree (SPOT) Candle Power 1920.58

2'	5"	480.15FC
4'	1'1"	120.04
6'	1'4"	53.35
8'	1'9"	30.14
10'	2'3"	19.20
12'	2'8"	13.33
14'	3'2"	9.88
16'	3'7"	7.60
18'	4'1"	5.89
20'	4'6"	4.79

MR-16 5-Watt 3000K 15 Degree (SPOT) Candle Power 1968

2'	5"	492FC
4'	1'1"	123
6'	1'4"	55
8'	1'9"	31
10'	2'3"	20
12'	2'8"	13.6
14'	3'2"	10
16'	3'7"	7.7
18'	4'1"	6
20'	4'6"	5

MR-16 5-Watt 2700K 30 Degree (FLD) Candle Power 738.59

2'	1'6"	184.65FC
4'	3'	46.16
6'	4'2"	20.52
8'	6'1"	11.59
10'	7'8"	7.38
12'	9'2"	5.13
14'	10'9"	3.80
16'	12'3"	2.92
18'	13'9"	2.26
20'	15'4"	1.84

MR-16 5-Watt 3000K 30 Degree (FLD) Candle Power 818.67

2'	1'6"	204.67FC
4'	3'	51.17
6'	4'2"	22.74
8'	6'1"	12.85
10'	7'8"	8.18
12'	9'2"	5.68
14'	10'9"	4.21
16'	12'3"	3.24
18'	13'9"	2.51
20'	15'4"	2.04

MR-16 5-Watt 2700K 60 Degree (WFL) Candle Power 245.86

2'	2'6"	61.47FC
4'	4'8"	15.37
6'	7'	6.83
8'	9'4"	3.86
10'	11'7"	2.46
12'	13'11"	1.71
14'	16'2"	1.26
16'	18'6"	0.92
18'	20'9"	0.75
20'	23'1"	0.61

MR-16 5-Watt 3000K 60 Degree (WFL) Candle Power 277.32

2'	2'6"	69.33FC
4'	4'8"	17.33
6'	7'	7.70
8'	9'4"	4.35
10'	11'7"	2.77
12'	13'11"	1.93
14'	16'2"	1.43
16'	18'6"	1.10
18'	20'9"	0.85
20'	23'1"	0.69

BRILLIANCE LED MR 16 - 7 WATT (Replaces 50W Halogen)

5 Year Warranty



\$ 59⁰⁰

ITEM #:	BRI/3970	BRI/3987	BRI/4052	BRI/4069	BRI/4137	BRI/4144
Watts	12V - 7W					
Beam Spread	15°	15°	30°	30°	60°	60°
Lumen	470 Lm	485 Lm	470 Lm	485 Lm	470 Lm	485 Lm
Color Temp	2700K	3000K	2700K	3000K	2700K	3000K

MR-16 7-Watt 2700K 15 Degree (SPOT) Candle Power 490 FC

2'	5"	490 FC
4'	1'1"	122
6'	1'4"	54.5
8'	1'9"	30.8
10'	2'3"	19.6
12'	2'8"	13.6
14'	3'2"	10
16'	3'7"	7.7
18'	4'1"	6
20'	4'6"	4.8

MR-16 7-Watt 3000K 15 Degree (SPOT) Candle Power 504 FC

2'	5"	504 FC
4'	1'1"	126
6'	1'4"	56
8'	1'9"	31.6
10'	2'3"	20
12'	2'8"	14
14'	3'2"	10
16'	3'7"	8
18'	4'1"	6
20'	4'6"	5

MR-16 7-Watt 2700K 30 Degree (FLD) Candle Power 784

2'	1'6"	196 FC
4'	3'	49
6'	4'2"	21.7
8'	6'1"	12.3
10'	7'8"	7.8
12'	9'2"	5.4
14'	10'9"	4
16'	12'3"	3
18'	13'9"	2.4
20'	15'4"	1.9

MR-16 7-Watt 3000K 30 Degree (FLD) Candle Power 1094.36

2'	1'6"	273.59FC
4'	3'	68.40
6'	4'2"	30.40
8'	6'1"	17.17
10'	7'8"	10.94
12'	9'2"	7.60
14'	10'9"	5.63
16'	12'3"	4.33
18'	13'9"	3.36
20'	15'4"	2.73

MR-16 7-Watt 2700K 60 Degree (WFL) Candle Power 366

2'	2'6"	91.5 FC
4'	4'8"	22.8
6'	7'	10
8'	9'4"	5.7
10'	11'7"	3.6
12'	13'11"	2.5
14'	16'2"	1.8
16'	18'6"	1.4
18'	20'9"	1.1
20'	23'1"	0.9

MR-16 7-Watt 3000K 60 Degree (WFL) Candle Power 408.10

2'	2'6"	102.03FC
4'	4'8"	25.51
6'	7'	11.34
8'	9'4"	6.40
10'	11'7"	4.08
12'	13'11"	2.83
14'	16'2"	2.10
16'	18'6"	1.61
18'	20'9"	1.25
20'	23'1"	1.02

LED LAMPS

KICHLER LED LAMPS

6 Year
Warranty



BASE / LAMP TYPE	WATTS	KELVIN / LUMENS	BEAM ANGLE		
MR16 Bi-Pin Medium Power 	4W, 5.3VA* Compares up to 20W Halogen \$ 34⁰⁰	2700K – Warm White 240Lm	15° SPOT	40° FLOOD	60° WIDE FLOOD
		K/18126			
MR16 Bi-Pin High Power 	5W, 6.6VA* Compares up to 35W Halogen \$ 48⁰⁰	2700K – Warm White 350Lm	15° SPOT	40° FLOOD	60° WIDE FLOOD
		K/18134			
MR16 Bi-Pin High Power 	5W, 6.6VA* Compares up to 35W Halogen \$ 48⁰⁰	3000K – Pure White 380Lm	15° SPOT	40° FLOOD	60° WIDE FLOOD
		K/18135			
PAR36/AR111 Wet Location 	11W, 14.9VA* Compares up to 50W Halogen \$ 119⁰⁰	2700K – Warm White 540Lm	15° SPOT	40° FLOOD	
		K/18021		K/18027	
PAR36/AR111 Wet Location 	11W, 14.9VA* Compares up to 50W Halogen \$ 119⁰⁰	3000K – Pure White 600Lm	15° SPOT	40° FLOOD	
		K/18022		K/18028	
S8 Wedge 	2W, 2.8VA* Compares up to 18.5W Krypton \$ 36⁰⁰	2700K – Warm White 85Lm	300° OMNI-DIRECTIONAL		
		K/18036			
S8 Wedge 	2W, 2.8VA* Compares up to 18.5W Krypton \$ 36⁰⁰	3000K – Pure White 100Lm	300° OMNI-DIRECTIONAL		
		K/18037			
T5 Wedge 	2W, 2.8VA* Compares up to 16W Xenon \$ 36⁰⁰	2700K – Warm White 85Lm	300° OMNI-DIRECTIONAL		
		K/18039			
T5 Wedge 	2W, 2.8VA* Compares up to 16W Xenon \$ 36⁰⁰	3000K – Pure White 100Lm	300° OMNI-DIRECTIONAL		
		K/18040			
G4/T3 Bi-Pin 	2W, 2.8VA* Compares up to 20W Halogen \$ 28⁰⁰	2700K – Warm White 85Lm	300° OMNI-DIRECTIONAL		
		K/18042			
G4/T3 Bi-Pin 	2W, 2.8VA* Compares up to 20W Halogen \$ 28⁰⁰	3000K – Pure White 100Lm	300° OMNI-DIRECTIONAL		
		K/18043			

LED MR16 - 4 WATT

3 Year Warranty



\$ 29⁰⁰

ITEM #:	BRI/7206
Description	12V Brilliance MR16 Ecostar
Beam Spread	30°
Watts	4W
Lumen	300 Lm
Color Temp	2700K

25W 12V A-LAMP(M)

3 Year Warranty



\$ 29⁰⁰

ITEM #:	K/15572FRO
Description	A-19 12V
Watts	25W
Frosted Lens	

LED S-14 A-LAMP(M)

3 Year Warranty



\$ 44⁰⁰

ITEM #:	BRI/5745
Description	12V Brilliance S14
Watts	4W
Lumen	215 Lm
Color Temp	2700K
ITEM #:	BRI/5752
Description	12V Brilliance S14
Watts	4W
Lumen	220 Lm
Color Temp	3000K

LED CANDELABRA

5 Year Warranty



\$ 38⁰⁰

BRI/5400

Candelabra to Medium Base Adapter

ITEM #:	BRI/5363
Description	12V Brilliance Candelabra
Watts	2W
Lumen	100 Lm
Color Temp	2700K
ITEM #:	BRI/5370
Description	12V Brilliance Candelabra
Watts	2W
Lumen	120 Lm
Color Temp	3000K

LED A-19 CLEAR

5 Year Warranty




\$ 56⁰⁰

ITEM #:	BRI/5585
Description	120V Brilliance A19
Watts	5W
Lumen	485 Lm
Color Temp	2700K

LED A-19 FROSTED

5 Year Warranty



\$ 56⁰⁰

ITEM #:	BRI/5578
Description	120V Brilliance A19
Watts	7W
Lumen	550 Lm
Color Temp	2700K

DESIGN PRO LED CONTROLLER/TRANSFORMER

KICHLER DC TRANSFORMER/CONTROLLER



STARTING FROM
\$ 659⁰⁰

With the NEW Kichler® Design Pro LED **DC** Transformer/Controller you can enhance your property with on-command personalized lighting effects that match the way you live. Every area of the property can be broken into a landscape lighting zone - and each zone can be pre-programmed to turn on and off independently - the way you want.

Using Z-Wave® compatible accessories, you're able to program the controller to turn on and off outdoor light such as porch lights, motions sensors, holiday lights or even outlets to control pond pumps and accessories.

ITEM #:	K/15DC***	\$
Order	K/15DC100	659.00
Guide	K/15DC200	929.00
	K/15DC300	1099.00
2 Zones per 100W Built in astronomical timer		
Features	Controller can show the wattage load on each zone	
	Connect up to 232 ZWave™ devices	
	Controller can show short circuits and overloads on a zone	
	Intuitive programming	
Warranty	10 Year Warranty	



CONTROLLER ACCESSORIES



\$ 149⁰⁰


K/16080BK
Kichler Remote



\$ 99⁰⁰

K/16081WH
Kichler Range Extender

ASK FOR
MORE Z-WAVE™
COMPATIBLE
PRODUCTS



\$ CALL

GE/45604

Outdoor Wet Location Control Module

With one controller, you can light up to six unique lighting zones for different areas of a property and control each zone independently with 12 scheduled events.



Zone 1
Walkway



ZONE 2



Zone 4
Outdoor Kitchen



Zone 2
Driveway



ZONE 5



Zone 5
Entrance



Zone 3
Seating Area



ZONE 6



Zone 6
Water Feature

Need more than 6 zone options?

You can sync multiple controllers to run off of one primary unit. Here are just a few examples of the personalized lighting effects you can create with the Design Pro LED Controller:

- Turn path lights in the backyard on at 6 p.m. and off at 10 p.m. - then on again at 5 a.m. and off at sunrise
- Turn security lighting in the front yard on at dusk and off at sunrise
- Light areas around a pool to turn on independently from patio lighting
- Turn a fountain or fountain lighting on only at dusk on the weekends
- A vacation mode can be setup for enhanced security
- Holiday lighting projects can be integrated into your design
- Have security and pathway lighting turn on with sunset and off with sunrise - an internal clock will be set to your location and the built-in astronomical timer self adjusts daily
- Keep entertainment areas lit during primetime, then off overnight

TRANSFORMERS

KICHLER - PROFESSIONAL SERIES PR TRANSFORMER



Kichler's Professional Series provides the best options and flexibility needed for most installations. Output voltage range will suit most jobs. Features include a commercial grade core and coil, pluggable timer and photocell outlets, plus a LIFETIME WARRANTY.

ITEM #:	K/15PR***SS	\$
Housing	Stainless Steel	
Order Guide	K/15PR75SS (75 Watt)(15V tap only)	269.00
	K/15PR100SS (100 Watt)	309.00
	K/15PR200SS (200 Watt)	359.00
	K/15PR300SS (300 Watt)	379.00
	K/15PR600SS (600 Watt)	719.00
	K/15PR900SS (900 Watt)	999.00
	K/15PR1200SS (1200 Watt)	1299.00
Features	Output voltage taps 12/13/14/15 Volts	
	30° tilted taps mounted on a 125-Amp terminal board	
	Tilted terminal board and large capacity lugs inside the taps hold up to 8, #10-gauge wires or up to 10, #12-gauge wire	
	In-line secondary magnetic breaker protects against short circuit	
	Epoxy encapsulant for greater protection and performance	
Warranty	Drop down panel with four pre-punched field knockouts	
	Lifetime Warranty	

A



INT/TN311
24HR Mechanical Timer with 3 on/off

\$ 19.00



K/15556WH
Digital Timer with Astro Functon, battery backup, simple daylight savings change over

\$ 61.00



CS/ART
Designed specifically for the landscape industry. Easy to program, two sets of timers, set by dusk or dawn with offsets or realtime, calculates sunrise and sunset daily.

\$ 159.00



K/15565 BK
Photocell, Plug-in (with 1' Cord)

\$ 57.00



K/15534BK
Photocell, Plug-in (with 10' Cord)

\$ 109.00



K/15511BK
Transformer Synchronizer - Synchronize all transformers used in a landscape lighting system so they turn on and off at the same time.

\$ 61.00

ACCESSORIES


ALLIANCE 'IT' TRANSFORMER

NEW



ITEM #:	ALL/IT150	ALL/IT300
	Alliance 'IT' Intelligent Transformer	
Watts	150W	300W
Features	Bluetooth connectivity 14.0V taps Astronomical timer Shows power meter Phone App Driven For LED ONLY Lifetime Warranty	
\$	489.00	519.00

Control via your phone! **Bluetooth™**



HYDRO-RAIN - 3 ZONE LED CONTROLLER



\$ 169⁰⁰



**MOTION
SENSOR**

\$ 69⁰⁰

ITEM #:	HYD/06700
	With three independent, fully controllable stations, as well as a built in 60W power supply, this controller is ideal for providing the ultimate controllable landscape lighting system.
Features	3 fully programmable stations 6 independant start times 60W built in transformer Light sensor with 10' expandable cable Motion sensor capable (see below) 5 Year Warranty

ITEM #:	HYD/06730
	Durable stake and wiring included For added safety and security Infrared sensor detects motion in the dark

ECONOMY TRANSFORMERS & LANDSCAPE CABLE

DH TRANSFORMER - 60W or 150W



ITEM #:	DH/LV60	DH/LV150
Description	Economy Series Transformers are for small jobs or single applications	
Power Supply	60W	150W
Features	Integral Timer and Photocell Durable Black Polymeric enclosure	
Warranty	1 Year Limited Warranty	

DH TRANSFORMER - 300W STAINLESS STEEL



ITEM #:	DH/300SS
Description	300W Economy Series Transformer in a stainless steel casing.
Power Supply	300W
Features	Output voltage taps 12/13/14/15 Volts Integral Timer and Photocell Stainless Steel enclosure
Warranty	1 Year Limited Warranty

LANDSCAPE CABLE

LTL
Free shipping
over \$1000



ITEM #:	DESCRIPTION	LENGTH	\$
18/2-76M	18/2 Low Voltage CSA	76M / 250'	
16/2-76M	16/2 Low Voltage CSA	76M / 250'	79.00
14/2-76M	14/2 Low Voltage CSA	76M / 250'	109.00
12/2-76M	12/2 Low Voltage CSA	76M / 250'	139.00
12/2-152M	12/2 Low Voltage CSA	152M / 500'	279.00

GFCI PLUG IN & OUTDOOR COVER PLATES



Ground Fault Interrupters are a must to ensure proper safety.

Install Outdoor Cover plates with all transformers going outdoors!

ITEM #:	\$
DAN/GFCI - GFCI plug in adapter	39.98
INT/WP3100C - In use cover - Single	19.00
INT/WP1230C - In use cover - Double	29.00

ARMADA TECHNOLOGIES - UNDERGROUND WIRE LOCATOR



The Pro290 Mini Underground Wire Locator is the perfect tool for contractors working with landscape lighting, invisible pet fencing or any general wiring, including telephone or CATV.

This unique underground wire tracer consists of a transmitter and an easy-to-use handheld receiver. For landscape lighting, it uses a limited power output to protect sensitive LED landscape lighting bulbs. The Pro290 utilizes an easy-to-track 33khz frequency and a null signal. But the best part is that it sets up in less than a minute! Simply connect the Pro290 to the wire to be tracked and to the ground stake in the dirt, get a good ground indication, and track the beeps with the handheld receiver.

Item #	ARM/PRO290
Power Output	100 mw to 1K Ohms
Frequency	33Khz
Weight	3.5 Pounds (Complete Kit)
Batteries	8"C" (transmitter) and 1 9-Volt (not Included)
Distance	Up to 1,000 Feet
Depth	Up to 4 Feet Deep
Warranty	1 Year

ARMADA TECHNOLOGIES - MULTIMETER



The Pro90 Automatic Clamp Multimeter is simple to use with easy-to-read controls — perfect for experts and novices alike. With the Pro90, simplicity starts with a single button: the on/off switch. It is the only switch on the Pro90 and the only switch that you need. After one push of the button to turn it on, the Pro90 takes care of itself. The Pro90 automatically measures voltage, resistance and amperage as well as turns itself off when it's not in use. It even automatically backlights when you're working in the dark, the screen automatically lights. Troubleshooting has never been so easy.

How does this automatic clamp multimeter work?

Just connect the Pro90 to the circuit to be tested, and it will automatically:

- 1) Test for voltage from 1.3 to 600 volts AC or to 1,000 volts DC. If it senses voltage, the Pro90 multimeter measures it, including automatically setting the correct range and determining if the voltage is AC or DC.
- 2) If the Pro90 doesn't detect any voltages, it automatically switches to resistance or ohm measurement, again auto-ranging.
- 3) The clamp is also used for measuring AC currents from .6 to 400 amps. Just clamp on to one leg of your electrical circuit and it will do the rest.

The Pro90 comes complete with a carrying case, red and black probe leads, and a 9-volt battery.

With the Pro90, identifying the type and severity of electrical problems is quick and easy.

Item # ARM/PRO90

LIGHTING ACCESSORIES

LIGHTING ACCESSORIES



KIN/61135

Black/White Waterproof Connector
25/Bag, Wire Range: #22-#12

\$ 25⁰⁰



KIN/61146

Black/White Waterproof Connector
150/Cannister, Wire Range: #22-#12

\$ 109⁰⁰



KIN/61235

Black/Grey Waterproof Connector
20/Bag, Wire Range: #22-#8

\$ 25⁰⁰



KIN/61241

Black/Grey Waterproof Connector
100/Cannister, Wire Range: #22-#8

\$ 94⁰⁰



KIN/61242

Black/Grey Waterproof Connector
500/Box, Wire Range: #22-#8

\$ 419⁰⁰



KIN/61335

Black/Blue Waterproof Connector
10/Bag, Wire Range: #14-#8

\$ 16⁰⁰



KIN/20250

DRB/Y-600 Waterproof Connector
2/Bag, Wire Range: #22-#8

\$ 5⁰⁰



KIN/63475

Black Strain Relief Connector
100/Box, Wire Range: #14-#6

\$ 329⁰⁰



KIN/90335

Medium ACE Connector
Bag of 2, Wire Range: #18-#8


\$ 9⁰⁰



KIN/90345

Large ACE Connector
Bag of 2, Wire Range: #18-#8

\$ 14⁰⁰



KIN/86001

Black Electrical Tape


\$ 1⁷⁹



KIN/86070

Silver Duct Tape

\$ 12⁰⁰



KIN/46005

Wire Stripper w/ Handle Lock

\$ 20⁰⁰



KIN/77108

8" Cable Ties with Screw Mount
100 / Bag

\$ 9⁰⁰



KIN/77124

24" Black Cable Ties

\$ 18⁰⁰

KIN/77118

18" Cable Ties

\$ 16⁰⁰



KIN/46700

L-tool Lighting Multi-tool

\$ 89⁰⁰

NEW

L-tool Lighting Multi-tool

- 18 total tools: Wire stripper, wire cutter, wire puller, pliers, cross bit screwdriver, small flat head screwdriver, large flat head screwdriver, 5/32 hex key, 5/64 hex key, 3mm hex key, scribe, brush & tube brush, level, ruler, saw, lift tool, knife & tape roll holder (on pouch)

KICHLER - 12V OUTDOOR CHANDELIER



\$ 1249⁰⁰

ITEM #:	K/15409OZ
Description	Zen Garden 12V
Housing	Brass with textured amber seedy linen glass
Wiring	42" of usable #16-2
Lamp Base	T5 wedge (4 Req)
LED Lamp Options	1.2W Micro T5 2700K & 2.1W Beacon T5 2700K & 3000K
Dimensions	14.25" H x 25" W
Warranty	5 Year Warranty on fixture housing

KICHLER - 12V OUTDOOR CHANDELIER



\$ 1399⁰⁰

ITEM #:	K/15402OZ
Description	Oak Trail 12V
Housing	Brass with beige glass candle with clear top, candle drip trim
Wiring	42" of usable #16-2
Lamp Base	T5 wedge (9 Req)
LED Lamp Options	1.2W Micro T5 2700K & 2.1W Beacon T5 2700K & 3000K
Dimensions	22.75" H x 26" W
Warranty	5 Year Warranty on fixture housing

KICHLER - 120V OUTDOOR CHANDELIER



\$ 879⁰⁰

ITEM #:	K/49638OZ
Description	Caterham 4 Light
Housing	Olde bronze finish with satin etched glass shades
Socket Base	Medium
LED Lamp Options	120V LED A19
Dimensions	21" W x 12.75" H
Warranty	5 Year Warranty on fixture housing
Wire any 120V outdoor chandelier as a 12V fixture using 12V LED lamps!	

**GO TO
KICHLER.COM
FOR MORE
SELECTION**

OUTDOOR/INDOOR CEILING FANS

GO TO
KICHLER.COM
FOR MORE
SELECTION

Add a gentle breeze in your outdoor spaces with a Kichler Outdoor rated Ceiling Fan. Designed and constructed to withstand the elements, they are a perfect way to enhance your out of doors leisure and entertainment experiences.



CLIMATES™ Ceiling Fans & Accessories

Outfit your coastal escape with the finest, most durable wet-rated ceiling fans available for harsh outdoor elements. Repeated saltwater spray, extreme heat and cold, and constant high UV exposure, are no match for Climates superior construction. Fan bodies and select blades are crafted from durable ABS plastic, creating a superior level of corrosion resistance.



WET-Rated Ceiling Fans

Outdoor living spaces that are open to the elements, such as a pergola or a lanai are the ideal place for our wet location ceiling fans. Kichler® wet location ceiling fans feature a powder coated finish, stainless steel mounting hardware, aluminum support system and all-weather ABS blade options that help combat direct exposure to rain or repeated water spray.



DAMP-Rated Ceiling Fans

Kichler's Damp location rated ceiling fans are engineered for hot, damp, high-humidity areas such as an enclosed porch, master bath, or a laundry room, where high humidity or condensation are present. Damp-rated ceiling fans feature a powder coated finish with a galvanized undercoat and stainless steel mounting hardware. Many are available with ABS plastic blades.

Optional: K/337214
 3 Forward Speeds & Reverse
 Lights On/Off with Full Range Dimming
 Motor Off



65" MAOR PATIO
 310136 DBK, OZ, WZC



AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
8804 Cubic Ft. Per Minute on High	86 Watts on High (Excludes Lights)	103 Cubic Ft. Per Minute Per Watt



52" ARKWET
 339529 MWH, WCP, WSP



AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
5393 Cubic Ft. Per Minute on High	50 Watts on High (Excludes Lights)	107 Cubic Ft. Per Minute Per Watt



42" BASICS PATIO
 414 NI, SBK, SNB, WH



AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
3962 Cubic Ft. Per Minute on High	48 Watts on High (Excludes Lights)	83 Cubic Ft. Per Minute Per Watt



52" BASICS PATIO
 414 NI, SBK, SNB, WH



AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
4687 Cubic Ft. Per Minute on High	59 Watts on High (Excludes Lights)	80 Cubic Ft. Per Minute Per Watt



52" CAMERON
 310104 NI, TZP, WCP, WH



AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
5651 Cubic Ft. Per Minute on High	62 Watts on High (Excludes Lights)	91 Cubic Ft. Per Minute Per Watt



52" 54" 56" 60" CANFIELD CLIMATES MOTOR ASSEMBLY
 320500 ANS, BCP, CMO, SNW



AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
6407 Cubic Ft. Per Minute on High	74 Watts on High (Excludes Lights)	87 Cubic Ft. Per Minute Per Watt



52" CANFIELD PATIO
 310192 SBK, TZP, WCP, WSP, WH



AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
6338 Cubic Ft. Per Minute on High	69 Watts on High (Excludes Lights)	92 Cubic Ft. Per Minute Per Watt

GO TO
KICHLER.COM
FOR MORE
SELECTION



60" CANFIELD XL PATIO
310193 TZP, WCP, WSP

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
9050 Cubic Ft. Per Minute on High	86 Watts on High (Excludes Lights)	105 Cubic Ft. Per Minute Per Watt



52" CATES
300162 AW, DBK, TZP

52" FRYST PATIO
310128 DBK, GST, TZP

52" HARBOUR WALK PATIO
310102 GST, TZP, WCP

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
4177 Cubic Ft. Per Minute on High	57 Watts on High (Excludes Lights)	73 Cubic Ft. Per Minute Per Watt

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
6176 Cubic Ft. Per Minute on High	73 Watts on High (Excludes Lights)	84 Cubic Ft. Per Minute Per Watt

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
6049 Cubic Ft. Per Minute on High	74 Watts on High (Excludes Lights)	82 Cubic Ft. Per Minute Per Watt

44" HATTERAS BAY PATIO
310101 GST, TZP, WCP

60" HATTERAS BAY PATIO
310117 DBK, TZP, WCP, WZC

52" KLEVER PATIO MOTOR ASSEMBLY
337018 MWH, WCP

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
4299 Cubic Ft. Per Minute on High	54 Watts on High (Excludes Lights)	80 Cubic Ft. Per Minute Per Watt

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
6665 Cubic Ft. Per Minute on High	69 Watts on High (Excludes Lights)	97 Cubic Ft. Per Minute Per Watt

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
4973 Cubic Ft. Per Minute on High	58 Watts on High (Excludes Lights)	86 Cubic Ft. Per Minute Per Watt

Note: Blades sold separately.
Note: Performance data reflects ABS Bamboo blade set 370051 & 370052.

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
5242 Cubic Ft. Per Minute on High	59 Watts on High (Excludes Lights)	89 Cubic Ft. Per Minute Per Watt

Note: Performance data reflects ABS Palm blade set 371060.

Optional: K/337214
3 Forward Speeds & Reverse
Lights On/Off with Full Range Dimming
Motor Off





54" LEHR II CLIMATES
310112 ANS, CMO, DBK, WH

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
5254 Cubic Ft. Per Minute on High	31 Watts on High (Excludes Lights)	172 Cubic Ft. Per Minute Per Watt



80" LEHR CLIMATES
310115 ANS, DBK, CMO, WH

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
7408 Cubic Ft. Per Minute on High	32 Watts on High (Excludes Lights)	234 Cubic Ft. Per Minute Per Watt



52" LYNDON PATIO
310139 WSP, OZ

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
5234 Cubic Ft. Per Minute on High	64 Watts on High (Excludes Lights)	82 Cubic Ft. Per Minute Per Watt



60" LYNDON PATIO
310140 OZ, WSP

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
6074 Cubic Ft. Per Minute on High	79 Watts on High (Excludes Lights)	77 Cubic Ft. Per Minute Per Watt



52" MONARCH II PATIO
310103 DBK, WCP

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
6201 Cubic Ft. Per Minute on High	71 Watts on High (Excludes Lights)	88 Cubic Ft. Per Minute Per Watt



54" PORTERS LAKE
310110 AW, MDW

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
4695 Cubic Ft. Per Minute on High	56 Watts on High (Excludes Lights)	83 Cubic Ft. Per Minute Per Watt



52" RENEW PATIO
339515 MWH, SBK, TZP, WH

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
5717 Cubic Ft. Per Minute on High	67 Watts on High (Excludes Lights)	85 Cubic Ft. Per Minute Per Watt



52" RENEW SELECT PATIO
339516 MWH, SBK, TZP, WH

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
5409 Cubic Ft. Per Minute on High	68 Watts on High (Excludes Lights)	80 Cubic Ft. Per Minute Per Watt



54" SEASIDE
310131 NI, OZ

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
5604 Cubic Ft. Per Minute on High	59 Watts on High (Excludes Lights)	96 Cubic Ft. Per Minute Per Watt



52" 60" 80" SZEPLÓ PATIO MOTOR ASSEMBLY
370060 OZ, SBK, WSP

52"	AIRFLOW 5940 Cubic Ft. Per Minute on High	POWER USAGE 23 Watts on High (Excludes Lights)	AIRFLOW EFFICIENCY 262 Cubic Ft. Per Minute Per Watt
60"	AIRFLOW 8628 Cubic Ft. Per Minute on High	POWER USAGE 34 Watts on High (Excludes Lights)	AIRFLOW EFFICIENCY 253 Cubic Ft. Per Minute Per Watt
80"	AIRFLOW 10,744 Cubic Ft. Per Minute on High	POWER USAGE 34 Watts on High (Excludes Lights)	AIRFLOW EFFICIENCY 318 Cubic Ft. Per Minute Per Watt

Note: Blades sold separately.



15" TERNA LED PATIO
310215 TZP, WSP

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
1029 Cubic Ft. Per Minute on High	34 Watts on High (Excludes Lights)	31 Cubic Ft. Per Minute Per Watt



48" YUREE
310125 NI, OBB

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
3722 Cubic Ft. Per Minute on High	90 Watts on High (Excludes Lights)	84 Cubic Ft. Per Minute Per Watt

Note: Due to the unique design and airflow pattern airflow data is approximate.

Optional: **K/337214**

- 3 Forward Speeds & Reverse
- Lights On/Off with Full Range Dimming
- Motor Off



KICHLER OUTDOOR LANTERNS

GO TO
KICHLER.COM
FOR MORE
SELECTION



ASHLAND BAY



ATWOOD

OUTDOOR POST LIGHTS



CATERHAM



COURTYARD



HALLERON



HAYMAN BAY



MADISON



PALLERTON WAY



SALISBURY



SORIA



SOUTH HOPE



TOLERAND



WISCOMBE PARK

OUTDOOR COACH LIGHTS



ALAMEDA



ASHLAND BAY



BRADFORD



HALLERON



HAYMAN BAY



LED



LYNDON



PALLERTON WAY



PARK ROW



SOREL



RIPLEY



SEASIDE



TOLERAND



TREMILLO



WESLEY



WISCOMBE PARK



More Finishes Avail.

\$ 112⁰⁰

K/9506BK
Lamp Post
3"W X 84"H



More Finishes Avail.

\$ 60⁰⁰

K/9530BK
Pedestal Mount
7"W x 3.5"H




More Finishes Avail.

\$ 19⁰⁰

K/9592AZ
Pedestal Mount
5.75"W x 3.5"H

RADIAX DESIGN PRO 120V LED

KICHLER - 120V - 12.5W LED ACCENT



AZT

\$ 302⁰⁰

* 5-DAY DIRECT SHIP



WHT

BBR

\$ 391⁰⁰

ITEM #:	K/16200	K/16201	K/16206
Beam Spread	10°	35°	60°
Housing	Cast Aluminum / Cast Brass		
Color Temp / Lumens	3000K / 590Lm 4250K / 646Lm		
Finish	AZT - Textured Arch. Bronze * BBR - Bronzed Brass * WHT - Textured White *		
Wiring	8" of usable 200° C 18 AWG		
Operating Range	108-132 AC		
Dimensions	4.75"H x 3"W		
Warranty	15 Year / 40,000 hours		


KICHLER - 120V - 19.5W LED ACCENT



AZT

\$ 391⁰⁰

* 5-DAY DIRECT SHIP



WHT

BBR

\$ 402⁰⁰

ITEM #:	K/16202	K/16203	K/16207
Beam Spread	10°	35°	60°
Housing	Cast Aluminum / Cast Brass		
Color Temp / Lumens	3000K / 947Lm 4250 / 993Lm		
Finish	AZT - Textured Arch. Bronze * BBR - Bronzed Brass * WHT - Textured White *		
Wiring	8" of usable 200° C 18 AWG		
Operating Range	108-132 AC		
Dimensions	5.5"H x 4.4"W		
Warranty	15 Year / 40,000 hours		


KICHLER - 120V - 29W LED ACCENT



AZT

\$ 485⁰⁰

* 5-DAY DIRECT SHIP



WHT

BBR

\$ 577⁰⁰

ITEM #:	K/16204	K/16205	K/16208
Beam Spread	10°	35°	60°
Housing	Cast Aluminum / Cast Brass		
Color Temp / Lumens	3000K / 1131Lm 4250 / 1368Lm		
Finish	AZT - Textured Arch. Bronze * BBR - Bronzed Brass * WHT - Textured White *		
Wiring	8" of usable 200° C 18 AWG		
Operating Range	108-132 AC		
Dimensions	5.5"H x 4.4"W		
Warranty	15 Year / 40,000 hours		



FEATURES

- Three lumen output options for just the right punch of light.
- Three beam spread options, 10°, 35° or 60°, put light where you want it.
- A range of Kelvin color temperature choices from pure white 3000K to cool white 4250K.
- Radiax™ Optics deliver the greatest lumens per watt in the industry for comparable fixtures.
- Constructed from durable, specification grade materials.

ITEM #	Description	\$
1	K/15601 Surface Mounting Flange	35.00
2	K/15607 Tree/Surface Bracket	25.00
3	K/15609 Junction Box Bracket	37.00
4	K/15647 90° Elbow	21.00
5	K/16061 360° Cowl (12.5W)	35.00
6	K/16060 Long Cowl (12.5W)	35.00
7	K/16063 360° Cowl (29W)	52.00
8	K/16062 Long Cowl (29W)	52.00

ITEM #	Description	\$
9	K/15649 Stem Coupler	20.00
10	K/16065 Lens - 12.5 W Avail in Amber/ Frosted/Green	17-32.00
11	K/16066 Lens - 19.5W / 29W Avail in Amber/Frosted/Green	20-49.00
12	Stems	
	K/15645 - 6"	20.00
	K/15656 - 12"	34.00
	K/15657 - 18"	37.00
	K/15658 - 24"	50.00

ACCESSORIES

